Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

SA-1815260722

TEST REPORT

Report No.:	ME-1815260722	Date: 28.07.2026
ULR No.:	TC748726000016100F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Stack Emission	Sampling Done by	Laboratory
Sampling Location	Boiler Unit No.2	Sample Quantity / Packing	Thimble: 1 X 1 No. SO_2:30 mL X 1 No. PVC Bottle NO_X:25 mL X 1 No. PVC Bottle
Date of Sampling	22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	23.07.2026	Date of Completion of Analysis	28.07.2026

Stack Details	
Stack Identity	Boiler Unit No. 2
Stack attached to	ESP of Boiler Unit No. 2
Material of construction	M.S.
Stack height above ground level (Meter)	275
Stack diameter (Meter)	4.6
Stack shape at top	Round
Type of fuel	Coal
Fuel Consumption (t/h)	162
Load at the time of monitoring (MW)	264
Time of Monitoring (h)	-

Sr. No.	Parameter	Unit	Result	#Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Stack Emission)				
1.	Flue gas Temperature	^0C	112	-	IS 11255 (Part 3):2008
2.	Flue gas Velocity	m/s	28.0	-	IS 11255 (Part 3):2008
3.	Flue gas Flow Rate	Nm^3/h	1191717	-	IS 11255 (Part 3):2008
4.	Particulate Matter (PM)	mg/Nm^3	36	50	IS 11255 (Part 1):1985
5.	Sulphur Dioxide (SO_2)	mg/Nm^3	565	600	IS 11255 (Part 2):1985
6.	Oxides of Nitrogen (NO_X)	mg/Nm^3	265	450	IS 11255 (Part 7): 2005

END OF REPORT

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

SA-1815260722

TEST REPORT

Report No.:	ME-1815260722	Date: 28.07.2026
ULR No.:	TC748726000016100F	

Note:
1. BQL: Below Quantification Limit
2. LOQ: Limit of Quantification
3. #: Limit as per MPCB Consent
4. The result listed refers only to the tested sample(s) and applicable parameter(s).
5. This report is not to be reproduced except in full, without the written approval of the laboratory.
6. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-1815260722

Report No.:	ME-1815260722N	Date: 28.07.2026
ULR No.:	-	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Stack Emission	Sampling Done by	Laboratory
Sampling Location	Boiler Unit No.2	Sample Quantity / Packing	CO: 1L X 1 No. Gas Bladder
Date of Sampling	22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	23.07.2026	Date of Completion of Analysis	28.07.2026

Stack Details	
Stack Identity	Boiler Unit No. 2
Stack attached to	ESP of Boiler Unit No. 2
Material of construction	M.S.
Stack height above ground level (Meter)	275
Stack diameter (Meter)	4.6
Stack shape at top	Round
Type of fuel	Coal
Fuel Consumption (t/h)	162
Load at the time of monitoring (MW)	264
Time of Monitoring (h)	-

Sr. No.	Parameter	Unit	Result	#Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Stack Emission)				
1.	Carbon Monoxide (CO)	mg/Nm^3	16	-	IS 5182 (Part 10): 1999 (NDIR method)

END OF REPORT

Note:
1. BQL: Below Quantification Limit
2. LOQ: Limit of Quantification
3. The result listed refers only to the tested sample(s) and applicable parameter(s).
4. This report is not to be reproduced except in full, without the written approval of the laboratory.
5. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS P.LTD. Laboratory Division

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-1816260722

Report No.:	ME-1816260722	Date: 28.07.2026
ULR No.:	TC748726000016101F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Stack Emission	Sampling Done by	Laboratory
Sampling Location	Boiler Unit No.3	Sample Quantity / Packing	Thimble: 1 X 1 No. SO_2:30 mL X 1 No. PVC Bottle NO_X:25 mL X 1 No. PVC Bottle
Date of Sampling	22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	23.07.2026	Date of Completion of Analysis	28.07.2026

Stack Details	
Stack Identity	Boiler Unit No. 3
Stack attached to	ESP of Boiler Unit No. 3
Material of construction	M.S.
Stack height above ground level (Meter)	275
Stack diameter (Meter)	4.6
Stack shape at top	Round
Type of fuel	Coal
Fuel Consumption (t/h)	167
Load at the time of monitoring (MW)	270
Time of Monitoring (h)	-

Sr. No.	Parameter	Unit	Result	#Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Stack Emission)				
1.	Flue gas Temperature	^0C	112	-	IS 11255 (Part 3):2008
2.	Flue gas Velocity	m/s	29.0	-	IS 11255 (Part 3):2008
3.	Flue gas Flow Rate	Nm^3/h	1242154	-	IS 11255 (Part 3):2008
4.	Particulate Matter (PM)	mg/Nm^3	41	50	IS 11255 (Part 1):1985
5.	Sulphur Dioxide (SO_2)	mg/Nm^3	516	600	IS 11255 (Part 2):1985
6.	Oxides of Nitrogen (NO_X)	mg/Nm^3	281	450	IS 11255 (Part 7): 2005

END OF REPORT

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-1816260722

Report No.:	ME-1816260722	Date: 28.07.2026
ULR No.:	TC748726000016101F	

Note:
1. BQL: Below Quantification Limit
2. LOQ: Limit of Quantification
3. #: Limit as per MPCB Consent
4. The result listed refers only to the tested sample(s) and applicable parameter(s).
5. This report is not to be reproduced except in full, without the written approval of the laboratory.
6. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MEEPL

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-1816260722

Report No.:	ME-1816260722N	Date: 28.07.2026
ULR No.:	-	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Stack Emission	Sampling Done by	Laboratory
Sampling Location	Boiler Unit No.3	Sample Quantity / Packing	CO: 1L X 1 No. Gas Bladder
Date of Sampling	22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	23.07.2026	Date of Completion of Analysis	28.07.2026

Stack Details	
Stack Identity	Boiler Unit No. 3
Stack attached to	ESP of Boiler Unit No. 3
Material of construction	M.S.
Stack height above ground level (Meter)	275
Stack diameter (Meter)	4.6
Stack shape at top	Round
Type of fuel	Coal
Fuel Consumption (t/h)	167
Load at the time of monitoring (MW)	270
Time of Monitoring (h)	-

Sr. No.	Parameter	Unit	Result	#Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Stack Emission)				
1.	Carbon Monoxide (CO)	mg/Nm^3	19	-	IS 5182 (Part 10): 1999 (NDIR method)

END OF REPORT

Note:
1. BQL: Below Quantification Limit
2. LOQ: Limit of Quantification
3. The result listed refers only to the tested sample(s) and applicable parameter(s).
4. This report is not to be reproduced except in full, without the written approval of the laboratory.
5. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS P.LTD. Laboratory Division

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-1817260722

Report No.:	ME-1817260722	Date: 28.07.2026
ULR No.:	TC748726000016102F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Stack Emission	Sampling Done by	Laboratory
Sampling Location	Boiler Unit No.4	Sample Quantity / Packing	Thimble: 1 X 1 No. SO_2:30 mL X 1 No. PVC Bottle NO_X:25 mL X 1 No. PVC Bottle
Date of Sampling	22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	23.07.2026	Date of Completion of Analysis	28.07.2026

Stack Details	
Stack Identity	Boiler Unit No. 4
Stack attached to	ESP of Boiler Unit No. 4
Material of construction	M.S.
Stack height above ground level (Meter)	275
Stack diameter (Meter)	4.6
Stack shape at top	Round
Type of fuel	Coal
Fuel Consumption (t/h)	159
Load at the time of monitoring (MW)	265
Time of Monitoring (h)	-

Sr. No.	Parameter	Unit	Result	#Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Stack Emission)				
1.	Flue gas Temperature	^0C	114	-	IS 11255 (Part 3):2008
2.	Flue gas Velocity	m/s	28.4	-	IS 11255 (Part 3):2008
3.	Flue gas Flow Rate	Nm^3/h	1205014	-	IS 11255 (Part 3):2008
4.	Particulate Matter (PM)	mg/Nm^3	39	50	IS 11255 (Part 1):1985
5.	Sulphur Dioxide (SO_2)	mg/Nm^3	537	600	IS 11255 (Part 2):1985
6.	Oxides of Nitrogen (NO_X)	mg/Nm^3	278	450	IS 11255 (Part 7): 2005

END OF REPORT

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-1817260722

Report No.:	ME-1817260722	Date: 28.07.2026
ULR No.:	TC748726000016102F	

Note:
1. BQL: Below Quantification Limit
2. LOQ: Limit of Quantification
3. #: Limit as per MPCB Consent
4. The result listed refers only to the tested sample(s) and applicable parameter(s).
5. This report is not to be reproduced except in full, without the written approval of the laboratory.
6. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS P. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-1817260722

Report No.:	ME-1817260722N	Date: 28.07.2026
ULR No.:	-	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Stack Emission	Sampling Done by	Laboratory
Sampling Location	Boiler Unit No.4	Sample Quantity / Packing	CO: 1L X 1 No. Gas Bladder
Date of Sampling	22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	23.07.2026	Date of Completion of Analysis	28.07.2026

Stack Details	
Stack Identity	Boiler Unit No. 4
Stack attached to	ESP of Boiler Unit No. 4
Material of construction	M.S.
Stack height above ground level (Meter)	275
Stack diameter (Meter)	4.6
Stack shape at top	Round
Type of fuel	Coal
Fuel Consumption (t/h)	159
Load at the time of monitoring (MW)	265
Time of Monitoring (h)	-

Sr. No.	Parameter	Unit	Result	#Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Stack Emission)				
1.	Carbon Monoxide (CO)	mg/Nm^3	17	-	IS 5182 (Part 10): 1999 (NDIR method)

END OF REPORT

Note:
1. BQL: Below Quantification Limit
2. LOQ: Limit of Quantification
3. The result listed refers only to the tested sample(s) and applicable parameter(s).
4. This report is not to be reproduced except in full, without the written approval of the laboratory.
5. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MEEPL

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-1818260722

Report No.:	ME-1818260722	Date: 28.07.2026
ULR No.:	TC748726000016103F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Stack Emission	Sampling Done by	Laboratory
Sampling Location	Boiler Unit No.5	Sample Quantity / Packing	Thimble: 1 X 1 No. SO_2:30 mL X 1 No. PVC Bottle NO_X:25 mL X 1 No. PVC Bottle
Date of Sampling	22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	23.07.2026	Date of Completion of Analysis	28.07.2026

Stack Details	
Stack Identity	Boiler Unit No. 5
Stack attached to	ESP of Boiler Unit No. 5
Material of construction	M.S.
Stack height above ground level (Meter)	275
Stack diameter (Meter)	4.6
Stack shape at top	Round
Type of fuel	Coal
Fuel Consumption (t/h)	162
Load at the time of monitoring (MW)	264
Time of Monitoring (h)	-

Sr. No.	Parameter	Unit	Result	#Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Stack Emission)				
1.	Flue gas Temperature	^0C	119	-	IS 11255 (Part 3):2008
2.	Flue gas Velocity	m/s	28.2	-	IS 11255 (Part 3):2008
3.	Flue gas Flow Rate	Nm^3/h	1193164	-	IS 11255 (Part 3):2008
4.	Particulate Matter (PM)	mg/Nm^3	40	50	IS 11255 (Part 1):1985
5.	Sulphur Dioxide (SO_2)	mg/Nm^3	540	600	IS 11255 (Part 2):1985
6.	Oxides of Nitrogen (NO_X)	mg/Nm^3	283	450	IS 11255 (Part 7): 2005

END OF REPORT

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-1818260722

Report No.:	ME-1818260722	Date: 28.07.2026
ULR No.:	TC748726000016103F	

Note:
1. BQL: Below Quantification Limit
2. LOQ: Limit of Quantification
3. #: Limit as per MPCB Consent
4. The result listed refers only to the tested sample(s) and applicable parameter(s).
5. This report is not to be reproduced except in full, without the written approval of the laboratory.
6. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and
authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MEEPL

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-1818260722

Report No.:	ME-1818260722N	Date: 28.07.2026
ULR No.:	-	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Stack Emission	Sampling Done by	Laboratory
Sampling Location	Boiler Unit No.5	Sample Quantity / Packing	CO: 1L X 1 No. Gas Bladder
Date of Sampling	22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	23.07.2026	Date of Completion of Analysis	28.07.2026

Stack Details	
Stack Identity	Boiler Unit No. 5
Stack attached to	ESP of Boiler Unit No. 5
Material of construction	M.S.
Stack height above ground level (Meter)	275
Stack diameter (Meter)	4.6
Stack shape at top	Round
Type of fuel	Coal
Fuel Consumption (t/h)	162
Load at the time of monitoring (MW)	264
Time of Monitoring (h)	-

Sr. No.	Parameter	Unit	Result	#Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Stack Emission)				
1.	Carbon Monoxide (CO)	mg/Nm^3	15	-	IS 5182 (Part 10): 1999 (NDIR method)

END OF REPORT

Note:
1. BQL: Below Quantification Limit
2. LOQ: Limit of Quantification
3. The result listed refers only to the tested sample(s) and applicable parameter(s).
4. This report is not to be reproduced except in full, without the written approval of the laboratory.
5. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MEEPL

MAHABAL ENVIRO ENGINEERS P.LTD. Laboratory Division

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

WNA-1819260722

Report No.:	ME-1819260722	Date: 28.07.2026
ULR No.:	TC748726000016104F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**	SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Workroom Noise	
Date of Sampling	21.07.2026	
Sampling Procedure	CPCB Protocol for Ambient level Noise Monitoring 2015	

Sr. No.	Location	Time in h	Sound Level L_{eq} dB (A)	
			L_{min}	L_{max}
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Workroom Noise)			
1.	Turbine Area No. 3 & 4	09:50 to 09:55	66.8	71.5
2.	Near CHP Crusher House	10:30 to 10:35	62.5	68.7
3.	Near Compressor Room	10:50 to 10:55	64.6	69.1
4.	Near Main Gate	11:15 to 11:20	61.2	65.4
5.	Near Colony	11:40 to 11:45	56.8	61.3

Limit as per The Factories Act, 1948, The Maharashtra Factory Rules, 1963, Schedule XXIV	
Total time of exposure per day, in hours.	**Max. Sound pressure level in dB (A)**
8	90
6	92
4	95
3	97
2	100
1 ½	102
1	105
¾	107
½	110
¼	115

END OF REPORT

Note:
1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without the written approval of the laboratory.
3. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS P. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

DE-1832260722

Report No.:	ME-1832260722	Date: 28.07.2026
ULR No.:	TC748726000016117F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Domestic Effluent	Sampling Done by	Laboratory
Sampling Location	Colony STP Outlet	Sample Quantity / Packing	2 L X 1 No. PVC Can 250mL X 1 No. PVC Can
Date of Sampling	22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	IS: 17614; APHA 24th Ed. 2023, 1060-B		
Date of Start of Analysis	22.07.2026	Date of Completion of Analysis	28.07.2026

Sr. No.	Parameter	Unit	Result	# Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Pollution & Environment (Waste Water)				
1.	pH (at 25°C)	-	7.8	6.5 to 8.5	APHA 24th Ed. 2023, 4500-H+-B
2.	Biochemical Oxygen Demand (3 days 27°C)	mg/L	11	30 Max.	IS 3025 (Part 44):2023
3.	Chemical Oxygen Demand	mg/L	40	250 Max.	APHA 24th Ed. 2023, 5220-B

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. #: Limit as per MPCB Consent.
4. The result listed refers only to the tested sample(s) and applicable parameter(s).
5. This report is not to be reproduced except in full, without the written approval of the laboratory.
6. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MEEPL

MAHABAL ENVIRO ENGINEERS P.LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

AA-1811260722

Report No.:	ME-1811260722	Date: 29.07.2026
ULR No.:	TC748726000016201F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ambient Air	Sampling Done by	Laboratory
Sampling Location	Village Kapustalni	Sample Quantity / Packing	PM_{10}, B(a), Ni, As, Pb: Filter Paper 1 X 3 No. $PM_{2.5}$: Filter Paper 1 X 1 No. SO_2:30 mL X 6 No. PVC Bottle NO_2:30 mL X 6 No. PVC Bottle NH_3:10 mL X 24 No. PVC Bottle O_3:10 mL X 24 No. PVC Bottle Charcoal Tubes: 1 X 6 No. CO:2L X 3No. Gas Bladder
Date of Sampling	21.07.2026 to 22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	22.07.2026	Date of Completion of Analysis	29.07.2026

Sr. No.	Parameter	Unit	Result	#NAAQS	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Ambient Air)				
1.	Sulphur Dioxide (SO_2)	$\mu g/m^3$	10.5	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
2.	Nitrogen Dioxide (NO_2)	$\mu g/m^3$	13.1	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
3.	Particulate Matter (size less than 10µm) or PM_{10}	$\mu g/m^3$	52	100	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
4.	Particulate Matter (size less than 2.5µm) or $PM_{2.5}$	$\mu g/m^3$	24	60	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
5.	Ozone (O_3)	$\mu g/m^3$	21.7	180	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
6.	Lead (as Pb)	$\mu g/m^3$	BQL (LOQ:0.02)	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

AA-1811260722

Report No.:	ME-1811260722	Date: 29.07.2026
ULR No.:	TC748726000016201F	

Sr. No.	Parameter	Unit	Result	#NAAQS	Method Reference
7.	Carbon Monoxide (CO)	mg/m^3	0.82	04	CPCB Guidelines for the Measurement of Ambient Air Pollutants Volume-II, 2012-13 (NDIR method)
8.	Ammonia (NH_3)	$\mu g/m^3$	BQL (LOQ:20)	400	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
9.	Benzene (C_6H_6)	$\mu g/m^3$	BQL (LOQ:1)	05	IS 5182 (Part 11): 2006
10.	Benzo(a)Pyrene (Particulate phase only)	ng/m^3	BQL (LOQ:0.5)	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
11.	Arsenic (as As)	ng/m^3	BQL (LOQ:0.3)	06	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
12.	Nickel (as Ni)	ng/m^3	BQL (LOQ:3)	20	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. TWA: Time Weighted Average
4. Duration of Sampling: 24 h
5. NAAQS: National Ambient Air Quality Standard
6. #- NAAQS specified as: 24 h. TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM_{10}, $PM_{2.5}$, Lead and Ammonia; 1 h. TWA in case of Carbon Monoxide, Ozone; Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.
7. The result listed refers only to the tested sample(s) and applicable parameter(s).
8. This report is not to be reproduced except in full, without the written approval of the laboratory.
9. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MEEPL

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

AA-1812260722

Report No.:	ME-1812260722	Date: 29.07.2026
ULR No.:	TC748726000016202F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ambient Air	Sampling Done by	Laboratory
Sampling Location	Village Dawargaon	Sample Quantity / Packing	PM_{10}, B(a), Ni, As, Pb: Filter Paper 1 X 3 No. $PM_{2.5}$: Filter Paper 1 X 1 No. SO_2:30 mL X 6 No. PVC Bottle NO_2:30 mL X 6 No. PVC Bottle NH_3:10 mL X 24 No. PVC Bottle O_3:10 mL X 24 No. PVC Bottle Charcoal Tubes: 1 X 6 No. CO:2L X 3No. Gas Bladder
Date of Sampling	21.07.2026 to 22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	22.07.2026	Date of Completion of Analysis	29.07.2026

Sr. No.	Parameter	Unit	Result	#NAAQS	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Ambient Air)				
1.	Sulphur Dioxide (SO_2)	$\mu g/m^3$	14.6	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
2.	Nitrogen Dioxide (NO_2)	$\mu g/m^3$	17.6	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
3.	Particulate Matter (size less than 10µm) or PM_{10}	$\mu g/m^3$	56	100	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
4.	Particulate Matter (size less than 2.5µm) or $PM_{2.5}$	$\mu g/m^3$	23	60	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
5.	Ozone (O_3)	$\mu g/m^3$	22.1	180	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
6.	Lead (as Pb)	$\mu g/m^3$	BQL (LOQ:0.02)	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

AA-1812260722

Report No.:	ME-1812260722	Date: 29.07.2026
ULR No.:	TC748726000016202F	

Sr. No.	Parameter	Unit	Result	#NAAQS	Method Reference
7.	Carbon Monoxide (CO)	mg/m^3	0.92	04	CPCB Guidelines for the Measurement of Ambient Air Pollutants Volume-II, 2012-13 (NDIR method)
8.	Ammonia (NH_3)	$\mu g/m^3$	21.2	400	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
9.	Benzene (C_6H_6)	$\mu g/m^3$	BQL (LOQ:1)	05	IS 5182 (Part 11): 2006
10.	Benzo(a)Pyrene (Particulate phase only)	ng/m^3	BQL (LOQ:0.5)	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
11.	Arsenic (as As)	ng/m^3	BQL (LOQ:0.3)	06	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
12.	Nickel (as Ni)	ng/m^3	BQL (LOQ:3)	20	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. TWA: Time Weighted Average
4. Duration of Sampling: 24 h
5. NAAQS: National Ambient Air Quality Standard
6. #- NAAQS specified as: 24 h. TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM_{10}, $PM_{2.5}$, Lead and Ammonia; 1 h. TWA in case of Carbon Monoxide, Ozone; Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.
7. The result listed refers only to the tested sample(s) and applicable parameter(s).
8. This report is not to be reproduced except in full, without the written approval of the laboratory.
9. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

AA-1813260722

Report No.:	ME-1813260722	Date: 29.07.2026
ULR No.:	TC748726000016203F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ambient Air	Sampling Done by	Laboratory
Sampling Location	Village Wagholi Gate	Sample Quantity / Packing	PM_{10}, B(a), Ni, As, Pb: Filter Paper 1 X 3 No. $PM_{2.5}$: Filter Paper 1 X 1 No. SO_2:30 mL X 6 No. PVC Bottle NO_2:30 mL X 6 No. PVC Bottle NH_3:10 mL X 24 No. PVC Bottle O_3:10 mL X 24 No. PVC Bottle Charcoal Tubes: 1 X 6 No. CO:2L X 3No. Gas Bladder
Date of Sampling	21.07.2026 to 22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	22.07.2026	Date of Completion of Analysis	29.07.2026

Sr. No.	Parameter	Unit	Result	#NAAQS	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Ambient Air)				
1.	Sulphur Dioxide (SO_2)	$\mu g/m^3$	13.8	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
2.	Nitrogen Dioxide (NO_2)	$\mu g/m^3$	16.5	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
3.	Particulate Matter (size less than 10µm) or PM_{10}	$\mu g/m^3$	54	100	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
4.	Particulate Matter (size less than 2.5µm) or $PM_{2.5}$	$\mu g/m^3$	25	60	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
5.	Ozone (O_3)	$\mu g/m^3$	20.9	180	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
6.	Lead (as Pb)	$\mu g/m^3$	BQL (LOQ:0.02)	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

AA-1813260722

Report No.:	ME-1813260722	Date: 29.07.2026
ULR No.:	TC748726000016203F	

Sr. No.	Parameter	Unit	Result	#NAAQS	Method Reference
7.	Carbon Monoxide (CO)	mg/m^3	0.73	04	CPCB Guidelines for the Measurement of Ambient Air Pollutants Volume-II, 2012-13 (NDIR method)
8.	Ammonia (NH_3)	$\mu g/m^3$	20.1	400	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
9.	Benzene (C_6H_6)	$\mu g/m^3$	BQL (LOQ:1)	05	IS 5182 (Part 11): 2006
10.	Benzo(a)Pyrene (Particulate phase only)	ng/m^3	BQL (LOQ:0.5)	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
11.	Arsenic (as As)	ng/m^3	BQL (LOQ:0.3)	06	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
12.	Nickel (as Ni)	ng/m^3	BQL (LOQ:3)	20	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. TWA: Time Weighted Average
4. Duration of Sampling: 24 h
5. NAAQS: National Ambient Air Quality Standard
6. #- NAAQS specified as: 24 h. TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM_{10}, $PM_{2.5}$, Lead and Ammonia; 1 h. TWA in case of Carbon Monoxide, Ozone; Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.
7. The result listed refers only to the tested sample(s) and applicable parameter(s).
8. This report is not to be reproduced except in full, without the written approval of the laboratory.
9. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

AA-1814260722

Report No.:	ME-1814260722	Date: 29.07.2026
ULR No.:	TC748726000016204F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ambient Air	Sampling Done by	Laboratory
Sampling Location	Terrace of Bachelor Guest House	Sample Quantity / Packing	PM_{10}, B(a), Ni, As, Pb: Filter Paper 1 X 3 No. $PM_{2.5}$: Filter Paper 1 X 1 No. SO_2:30 mL X 6 No. PVC Bottle NO_2:30 mL X 6 No. PVC Bottle NH_3:10 mL X 24 No. PVC Bottle O_3:10 mL X 24 No. PVC Bottle Charcoal Tubes: 1 X 6 No. CO:2L X 3No. Gas Bladder
Date of Sampling	21.07.2026 to 22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	22.07.2026	Date of Completion of Analysis	29.07.2026

Sr. No.	Parameter	Unit	Result	#NAAQS	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Ambient Air)				
1.	Sulphur Dioxide (SO_2)	$\mu g/m^3$	7.4	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
2.	Nitrogen Dioxide (NO_2)	$\mu g/m^3$	10.9	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
3.	Particulate Matter (size less than 10µm) or PM_{10}	$\mu g/m^3$	57	100	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
4.	Particulate Matter (size less than 2.5µm) or $PM_{2.5}$	$\mu g/m^3$	26	60	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
5.	Ozone (O_3)	$\mu g/m^3$	21.6	180	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
6.	Lead (as Pb)	$\mu g/m^3$	BQL (LOQ:0.02)	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

AA-1814260722

Report No.:	ME-1814260722	Date: 29.07.2026
ULR No.:	TC748726000016204F	

Sr. No.	Parameter	Unit	Result	#NAAQS	Method Reference
7.	Carbon Monoxide (CO)	mg/m^3	0.79	04	CPCB Guidelines for the Measurement of Ambient Air Pollutants Volume-II, 2012-13 (NDIR method)
8.	Ammonia (NH_3)	$\mu g/m^3$	23.3	400	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
9.	Benzene (C_6H_6)	$\mu g/m^3$	BQL (LOQ:1)	05	IS 5182 (Part 11): 2006
10.	Benzo(a)Pyrene (Particulate phase only)	ng/m^3	BQL (LOQ:0.5)	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
11.	Arsenic (as As)	ng/m^3	BQL (LOQ:0.3)	06	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
12.	Nickel (as Ni)	ng/m^3	3.73	20	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. TWA: Time Weighted Average
4. Duration of Sampling: 24 h
5. NAAQS: National Ambient Air Quality Standard
6. #- NAAQS specified as: 24 h. TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM_{10}, $PM_{2.5}$, Lead and Ammonia; 1 h. TWA in case of Carbon Monoxide, Ozone; Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.
7. The result listed refers only to the tested sample(s) and applicable parameter(s).
8. This report is not to be reproduced except in full, without the written approval of the laboratory.
9. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MEEPL

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-1822260722

Report No.:	ME-1822260722	Date: 28.07.2026
ULR No.:	TC748726000016107F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ground water	Sampling Done by	Laboratory
Sampling Location	Village Talkhanda	Sample Quantity / Packing	3L X 1 No. PVC Can 500 mL X 1 No. PVC Can 1 L X 1 No. Glass Bottle
Date of Sampling	22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	IS: 17614; APHA 24th Ed. 2023, 1060-B		
Date of Start of Analysis	22.07.2026	Date of Completion of Analysis	28.07.2026

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Water (Ground Water)					
1.	Colour	Hazen	BQL (LOQ:1)	5 Max.	15 Max.	APHA 24th Ed. 2023, 2120-B
2.	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 05):2018
3.	Turbidity	NTU	0.2	1 Max.	5 Max.	APHA 24th Ed. 2023, 2130-B
4.	pH (at 25^{0}C)	-	7.7	6.5 to 8.5	No relaxation	APHA 24th Ed. 2023, 4500-H+-B
5.	Residual Chlorine (Free)	mg/L	BQL (LOQ:0.05)	0.2 Min.	1.0 Min.	APHA 24th Ed. 2023, 4500-Cl G
6.	Total Dissolved Solids (at 180^{0}C)	mg/L	398	500 Max.	2000 Max.	IS 3025 (Part 16):2023
7.	Total Suspended Solids (at 105^{0}C)	mg/L	BQL (LOQ:5)	-	-	APHA 24th Ed. 2023, 2540-D
8.	Alkalinity Total (as $CaCO_3$)	mg/L	188	200 Max.	600 Max.	APHA 24th Ed. 2023, 2320-B
9.	Total Hardness (as $CaCO_3$)	mg/L	66	200 Max.	600 Max.	APHA 24th Ed. 2023, 2340-C
10.	Chloride (as Cl)	mg/L	48.0	250 Max.	1000 Max.	APHA 24th Ed. 2023, 4500-Cl-B
11.	Sulphate (as SO_4)	mg/L	50.2	200 Max.	400 Max.	APHA 24th Ed. 2023, 4500-SO_4-E
12.	Nitrate (as NO_3)	mg/L	24.9	45 Max.	No relaxation	APHA 24th Ed. 2023,4500-NO_3, B
13.	Calcium (as Ca)	mg/L	18.4	75 Max.	200 Max.	APHA 24th Ed. 2023, 3500-Ca-B

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7497

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-1822260722

Report No.:	ME-1822260722	Date: 28.07.2026
ULR No.:	TC748726000016107F	

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
14.	Magnesium (as Mg)	mg/L	4.9	30 Max.	100 Max.	APHA 24th Ed. 2023, 3500-Mg-B
15.	Fluoride (as F)	mg/L	0.27	1 Max.	1.5 Max.	APHA 24th Ed. 2023, 4500-F, D
16.	Dissolved Oxygen	mg/L	6.3	-	-	APHA 24th Ed. 2023, 4500-O, B & C
17.	Oil and Grease	mg/L	BQL (LOQ:1)	-	-	IS 3025 (Part 39): 2021
18.	Cyanide (as CN)	mg/L	BQL (LOQ:0.001)	0.05 Max.	No relaxation	APHA 24th Ed. 2023, 4500-CN, C & E
19.	Phenolic Compounds (as C_6H_5OH)	mg/L	BQL (LOQ:0.001)	0.001 Max.	0.002 Max.	APHA 24th Ed. 2023, 5530- B & C
	Product Group: Residues in water					
20.	Boron (as B)	mg/L	BQL (LOQ:0.02)	0.5 Max.	2.4 Max.	IS 3025 (Part 2) 2019
21.	Iron (as Fe)	mg/L	0.924	1.0 Max.	No relaxation	IS 3025 (Part 2) 2019
22.	Manganese (as Mn)	mg/L	0.023	0.1 Max.	0.3 Max.	IS 3025 (Part 2) 2019
23.	Aluminium (as Al)	mg/L	BQL (LOQ:0.025)	0.03 Max.	0.2 Max.	APHA 24th Ed. 2023, 3500-Al-B
24.	Cadmium (as Cd)	mg/L	BQL (LOQ:0.0027)	0.003Max	No relaxation	IS 3025 (Part 2) 2019
25.	Chromium Total (as Cr)	mg/L	BQL (LOQ:0.01)	0.05 Max.	No relaxation	IS 3025 (Part 2) 2019
26.	Copper (as Cu)	mg/L	BQL (LOQ:0.01)	0.05 Max.	1.5 Max.	IS 3025 (Part 2) 2019
27.	Lead (as Pb)	mg/L	BQL (LOQ:0.008)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
28.	Zinc (as Zn)	mg/L	0.027	5 Max.	15 Max.	IS 3025 (Part 2) 2019
29.	Arsenic (as As)	mg/L	BQL (LOQ:0.007)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
30.	Mercury (as Hg)	mg/L	BQL (LOQ:0.0005)	0.001Max	No relaxation	APHA 24th Ed. 2023, 3112-B
31.	Selenium (as Se)	mg/L	BQL (LOQ:0.01)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. # Acceptable Limit as per IS 10500:2012
4. $ Permissible Limit in the Absence of Alternate Source as per IS 10500:2012
5. The result listed refers only to the tested sample(s) and applicable parameter(s).
6. This report is not to be reproduced except in full, without the written approval of the laboratory.
7. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MEEPL

MAHABAL ENVIRO ENGINEERS P.LTD. Laboratory Division

TC 7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

GW-1823260722

TEST REPORT

Report No.:	ME-1823260722	Date: 28.07.2026
ULR No.:	TC748726000016108F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ground water	Sampling Done by	Laboratory
Sampling Location	Backside of ash Dykes Area Mr. N. Lomte farm	Sample Quantity / Packing	3L X 1 No. PVC Can 500 mL X 1 No. PVC Can 1 L X 1 No. Glass Bottle
Date of Sampling	22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	IS: 17614; APHA 24th Ed. 2023, 1060-B		
Date of Start of Analysis	22.07.2026	Date of Completion of Analysis	28.07.2026

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Water (Ground Water)					
1.	Colour	Hazen	BQL (LOQ:1)	5 Max.	15 Max.	APHA 24th Ed. 2023, 2120-B
2.	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 05):2018
3.	Turbidity	NTU	0.2	1 Max.	5 Max.	APHA 24th Ed. 2023, 2130-B
4.	pH (at 25°C)	-	7.8	6.5 to 8.5	No relaxation	APHA 24th Ed. 2023, 4500-H+-B
5.	Residual Chlorine (Free)	mg/L	BQL (LOQ:0.05)	0.2 Min.	1.0 Min.	APHA 24th Ed. 2023, 4500-Cl G
6.	Total Dissolved Solids (at 180°C)	mg/L	385	500 Max.	2000 Max.	IS 3025 (Part 16):2023
7.	Total Suspended Solids (at 105°C)	mg/L	BQL (LOQ:5)	-	-	APHA 24th Ed. 2023, 2540-D
8.	Alkalinity Total (as $CaCO_3$)	mg/L	200	200 Max.	600 Max.	APHA 24th Ed. 2023, 2320-B
9.	Total Hardness (as $CaCO_3$)	mg/L	76	200 Max.	600 Max.	APHA 24th Ed. 2023, 2340-C
10.	Chloride (as Cl)	mg/L	50.0	250 Max.	1000 Max.	APHA 24th Ed. 2023, 4500-Cl-B
11.	Sulphate (as SO_4)	mg/L	44.2	200 Max.	400 Max.	APHA 24th Ed. 2023, 4500-SO_4-E
12.	Nitrate (as NO_3)	mg/L	2.76	45 Max.	No relaxation	APHA 24th Ed. 2023,4500-NO_3, B
13.	Calcium (as Ca)	mg/L	20.8	75 Max.	200 Max.	APHA 24th Ed. 2023, 3500-Ca-B

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

GW-1823260722

TEST REPORT

Report No.:	ME-1823260722	Date: 28.07.2026
ULR No.:	TC748726000016108F	

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
14.	Magnesium (as Mg)	mg/L	5.8	30 Max.	100 Max.	APHA 24th Ed. 2023, 3500-Mg-B
15.	Fluoride (as F)	mg/L	0.26	1 Max.	1.5 Max.	APHA 24th Ed. 2023, 4500-F, D
16.	Dissolved Oxygen	mg/L	6.3	-	-	APHA 24th Ed. 2023, 4500-O, B & C
17.	Oil and Grease	mg/L	BQL (LOQ:1)	-	-	IS 3025 (Part 39): 2021
18.	Cyanide (as CN)	mg/L	BQL (LOQ:0.001)	0.05 Max.	No relaxation	APHA 24th Ed. 2023, 4500-CN, C & E
19.	Phenolic Compounds (as C_6H_5OH)	mg/L	BQL (LOQ:0.001)	0.001 Max.	0.002 Max.	APHA 24th Ed. 2023, 5530- B & C
	Product Group: Residues in water					
20.	Boron (as B)	mg/L	BQL (LOQ:0.02)	0.5 Max.	2.4 Max.	IS 3025 (Part 2) 2019
21.	Iron (as Fe)	mg/L	0.562	1.0 Max.	No relaxation	IS 3025 (Part 2) 2019
22.	Manganese (as Mn)	mg/L	0.033	0.1 Max.	0.3 Max.	IS 3025 (Part 2) 2019
23.	Aluminium (as Al)	mg/L	BQL (LOQ:0.025)	0.03 Max.	0.2 Max.	APHA 24th Ed. 2023, 3500-Al-B
24.	Cadmium (as Cd)	mg/L	BQL (LOQ:0.0027)	0.003Max	No relaxation	IS 3025 (Part 2) 2019
25.	Chromium Total (as Cr)	mg/L	BQL (LOQ:0.01)	0.05 Max.	No relaxation	IS 3025 (Part 2) 2019
26.	Copper (as Cu)	mg/L	BQL (LOQ:0.01)	0.05 Max.	1.5 Max.	IS 3025 (Part 2) 2019
27.	Lead (as Pb)	mg/L	BQL (LOQ:0.008)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
28.	Zinc (as Zn)	mg/L	0.020	5 Max.	15 Max.	IS 3025 (Part 2) 2019
29.	Arsenic (as As)	mg/L	BQL (LOQ:0.007)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
30.	Mercury (as Hg)	mg/L	BQL (LOQ:0.0005)	0.001Max	No relaxation	APHA 24th Ed. 2023, 3112-B
31.	Selenium (as Se)	mg/L	BQL (LOQ:0.01)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. # Acceptable Limit as per IS 10500:2012
4. $ Permissible Limit in the Absence of Alternate Source as per IS 10500:2012
5. The result listed refers only to the tested sample(s) and applicable parameter(s).
6. This report is not to be reproduced except in full, without the written approval of the laboratory.
7. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS P. LTD. Laboratory Division

TC-7497

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-1824260722

Report No.:	ME-1824260722	Date: 28.07.2026
ULR No.:	TC748726000016109F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ground water	Sampling Done by	Laboratory
Sampling Location	Village Kapustalni	Sample Quantity / Packing	3L X 1 No. PVC Can 500 mL X 1 No. PVC Can 1 L X 1 No. Glass Bottle
Date of Sampling	22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	IS: 17614; APHA 24th Ed. 2023, 1060-B		
Date of Start of Analysis	22.07.2026	Date of Completion of Analysis	28.07.2026

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Water (Ground Water)					
1.	Colour	Hazen	BQL (LOQ:1)	5 Max.	15 Max.	APHA 24th Ed. 2023, 2120-B
2.	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 05):2018
3.	Turbidity	NTU	0.3	1 Max.	5 Max.	APHA 24th Ed. 2023, 2130-B
4.	pH (at 25^{0}C)	-	7.1	6.5 to 8.5	No relaxation	APHA 24th Ed. 2023, 4500-H+-B
5.	Residual Chlorine (Free)	mg/L	BQL (LOQ:0.05)	0.2 Min.	1.0 Min.	APHA 24th Ed. 2023, 4500-Cl G
6.	Total Dissolved Solids (at 180^{0}C)	mg/L	775	500 Max.	2000 Max.	IS 3025 (Part 16):2023
7.	Total Suspended Solids (at 105^{0}C)	mg/L	BQL (LOQ:5)	-	-	APHA 24th Ed. 2023, 2540-D
8.	Alkalinity Total (as $CaCO_3$)	mg/L	272	200 Max.	600 Max.	APHA 24th Ed. 2023, 2320-B
9.	Total Hardness (as $CaCO_3$)	mg/L	580	200 Max.	600 Max.	APHA 24th Ed. 2023, 2340-C
10.	Chloride (as Cl)	mg/L	122	250 Max.	1000 Max.	APHA 24th Ed. 2023, 4500-Cl-B
11.	Sulphate (as SO_4)	mg/L	159	200 Max.	400 Max.	APHA 24th Ed. 2023, 4500-SO_4-E
12.	Nitrate (as NO_3)	mg/L	49.6	45 Max.	No relaxation	APHA 24th Ed. 2023,4500-NO_3, B
13.	Calcium (as Ca)	mg/L	152	75 Max.	200 Max.	APHA 24th Ed. 2023, 3500-Ca-B

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-1824260722

Report No.:	ME-1824260722	Date: 28.07.2026
ULR No.:	TC748726000016109F	

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
14.	Magnesium (as Mg)	mg/L	48.6	30 Max.	100 Max.	APHA 24th Ed. 2023, 3500-Mg-B
15.	Fluoride (as F)	mg/L	0.23	1 Max.	1.5 Max.	APHA 24th Ed. 2023, 4500-F, D
16.	Dissolved Oxygen	mg/L	6.3	-	-	APHA 24th Ed. 2023, 4500-O, B & C
17.	Oil and Grease	mg/L	BQL (LOQ:1)	-	-	IS 3025 (Part 39): 2021
18.	Cyanide (as CN)	mg/L	BQL (LOQ:0.001)	0.05 Max.	No relaxation	APHA 24th Ed. 2023, 4500-CN, C & E
19.	Phenolic Compounds (as C_6H_5OH)	mg/L	BQL (LOQ:0.001)	0.001 Max.	0.002 Max.	APHA 24th Ed. 2023, 5530- B & C
	Product Group: Residues in water					
20.	Boron (as B)	mg/L	BQL (LOQ:0.02)	0.5 Max.	2.4 Max.	IS 3025 (Part 2) 2019
21.	Iron (as Fe)	mg/L	0.691	1.0 Max.	No relaxation	IS 3025 (Part 2) 2019
22.	Manganese (as Mn)	mg/L	0.048	0.1 Max.	0.3 Max.	IS 3025 (Part 2) 2019
23.	Aluminium (as Al)	mg/L	BQL (LOQ:0.025)	0.03 Max.	0.2 Max.	APHA 24th Ed. 2023, 3500-Al-B
24.	Cadmium (as Cd)	mg/L	BQL (LOQ:0.0027)	0.003Max	No relaxation	IS 3025 (Part 2) 2019
25.	Chromium Total (as Cr)	mg/L	BQL (LOQ:0.01)	0.05 Max.	No relaxation	IS 3025 (Part 2) 2019
26.	Copper (as Cu)	mg/L	BQL (LOQ:0.01)	0.05 Max.	1.5 Max.	IS 3025 (Part 2) 2019
27.	Lead (as Pb)	mg/L	BQL (LOQ:0.008)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
28.	Zinc (as Zn)	mg/L	BQL (LOQ:0.02)	5 Max.	15 Max.	IS 3025 (Part 2) 2019
29.	Arsenic (as As)	mg/L	BQL (LOQ:0.007)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
30.	Mercury (as Hg)	mg/L	BQL (LOQ:0.0005)	0.001Max	No relaxation	APHA 24th Ed. 2023, 3112-B
31.	Selenium (as Se)	mg/L	BQL (LOQ:0.01)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. # Acceptable Limit as per IS 10500:2012
4. $ Permissible Limit in the Absence of Alternate Source as per IS 10500:2012
5. The result listed refers only to the tested sample(s) and applicable parameter(s).
6. This report is not to be reproduced except in full, without the written approval of the laboratory.
7. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MEEPL

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-1825260722

Report No.:	ME-1825260722	Date: 28.07.2026
ULR No.:	TC748726000016110F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ground water	Sampling Done by	Laboratory
Sampling Location	Village Wagholi	Sample Quantity / Packing	3L X 1 No. PVC Can 500 mL X 1 No. PVC Can 1 L X 1 No. Glass Bottle
Date of Sampling	22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	IS: 17614; APHA 24th Ed. 2023, 1060-B		
Date of Start of Analysis	22.07.2026	Date of Completion of Analysis	28.07.2026

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Water (Ground Water)					
1.	Colour	Hazen	BQL (LOQ:1)	5 Max.	15 Max.	APHA 24th Ed. 2023, 2120-B
2.	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 05):2018
3.	Turbidity	NTU	0.2	1 Max.	5 Max.	APHA 24th Ed. 2023, 2130-B
4.	pH (at 25^{0}C)	-	7.7	6.5 to 8.5	No relaxation	APHA 24th Ed. 2023, 4500-H+-B
5.	Residual Chlorine (Free)	mg/L	BQL (LOQ:0.05)	0.2 Min.	1.0 Min.	APHA 24th Ed. 2023, 4500-Cl G
6.	Total Dissolved Solids (at 180^{0}C)	mg/L	746	500 Max.	2000 Max.	IS 3025 (Part 16):2023
7.	Total Suspended Solids (at 105^{0}C)	mg/L	BQL (LOQ:5)	-	-	APHA 24th Ed. 2023, 2540-D
8.	Alkalinity Total (as $CaCO_3$)	mg/L	328	200 Max.	600 Max.	APHA 24th Ed. 2023, 2320-B
9.	Total Hardness (as $CaCO_3$)	mg/L	596	200 Max.	600 Max.	APHA 24th Ed. 2023, 2340-C
10.	Chloride (as Cl)	mg/L	96.0	250 Max.	1000 Max.	APHA 24th Ed. 2023, 4500-Cl-B
11.	Sulphate (as SO_4)	mg/L	160	200 Max.	400 Max.	APHA 24th Ed. 2023, 4500-SO_4-E
12.	Nitrate (as NO_3)	mg/L	2.22	45 Max.	No relaxation	APHA 24th Ed. 2023,4500-NO_3, B
13.	Calcium (as Ca)	mg/L	168	75 Max.	200 Max.	APHA 24th Ed. 2023, 3500-Ca-B

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7407

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-1825260722

Report No.:	ME-1825260722	Date: 28.07.2026
ULR No.:	TC748726000016110F	

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
14.	Magnesium (as Mg)	mg/L	42.8	30 Max.	100 Max.	APHA 24th Ed. 2023, 3500-Mg-B
15.	Fluoride (as F)	mg/L	0.24	1 Max.	1.5 Max.	APHA 24th Ed. 2023, 4500-F, D
16.	Dissolved Oxygen	mg/L	6.3	-	-	APHA 24th Ed. 2023, 4500-O, B & C
17.	Oil and Grease	mg/L	BQL (LOQ:1)	-	-	IS 3025 (Part 39): 2021
18.	Cyanide (as CN)	mg/L	BQL (LOQ:0.001)	0.05 Max.	No relaxation	APHA 24th Ed. 2023, 4500-CN, C & E
19.	Phenolic Compounds (as C_6H_5OH)	mg/L	BQL (LOQ:0.001)	0.001 Max.	0.002 Max.	APHA 24th Ed. 2023, 5530- B & C
	Product Group: Residues in water					
20.	Boron (as B)	mg/L	BQL (LOQ:0.02)	0.5 Max.	2.4 Max.	IS 3025 (Part 2) 2019
21.	Iron (as Fe)	mg/L	0.784	1.0 Max.	No relaxation	IS 3025 (Part 2) 2019
22.	Manganese (as Mn)	mg/L	0.013	0.1 Max.	0.3 Max.	IS 3025 (Part 2) 2019
23.	Aluminium (as Al)	mg/L	BQL (LOQ:0.025)	0.03 Max.	0.2 Max.	APHA 24th Ed. 2023, 3500-Al-B
24.	Cadmium (as Cd)	mg/L	BQL (LOQ:0.0027)	0.003Max	No relaxation	IS 3025 (Part 2) 2019
25.	Chromium Total (as Cr)	mg/L	BQL (LOQ:0.01)	0.05 Max.	No relaxation	IS 3025 (Part 2) 2019
26.	Copper (as Cu)	mg/L	BQL (LOQ:0.01)	0.05 Max.	1.5 Max.	IS 3025 (Part 2) 2019
27.	Lead (as Pb)	mg/L	BQL (LOQ:0.008)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
28.	Zinc (as Zn)	mg/L	0.029	5 Max.	15 Max.	IS 3025 (Part 2) 2019
29.	Arsenic (as As)	mg/L	BQL (LOQ:0.007)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
30.	Mercury (as Hg)	mg/L	BQL (LOQ:0.0005)	0.001Max	No relaxation	APHA 24th Ed. 2023, 3112-B
31.	Selenium (as Se)	mg/L	BQL (LOQ:0.01)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. # Acceptable Limit as per IS 10500:2012
4. $ Permissible Limit in the Absence of Alternate Source as per IS 10500:2012
5. The result listed refers only to the tested sample(s) and applicable parameter(s).
6. This report is not to be reproduced except in full, without the written approval of the laboratory.
7. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MEEPL

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-1826260722

Report No.:	ME-1826260722	Date: 28.07.2026
ULR No.:	TC748726000016111F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ground water	Sampling Done by	Laboratory
Sampling Location	Village Pimplavihirgaon	Sample Quantity / Packing	3L X 1 No. PVC Can 500 mL X 1 No. PVC Can 1 L X 1 No. Glass Bottle
Date of Sampling	22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	IS: 17614; APHA 24th Ed. 2023, 1060-B		
Date of Start of Analysis	22.07.2026	Date of Completion of Analysis	28.07.2026

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Water (Ground Water)					
1.	Colour	Hazen	BQL (LOQ:1)	5 Max.	15 Max.	APHA 24th Ed. 2023, 2120-B
2.	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 05):2018
3.	Turbidity	NTU	0.3	1 Max.	5 Max.	APHA 24th Ed. 2023, 2130-B
4.	pH (at 25°C)	-	7.1	6.5 to 8.5	No relaxation	APHA 24th Ed. 2023, 4500-H+-B
5.	Residual Chlorine (Free)	mg/L	BQL (LOQ:0.05)	0.2 Min.	1.0 Min.	APHA 24th Ed. 2023, 4500-Cl G
6.	Total Dissolved Solids (at 180°C)	mg/L	852	500 Max.	2000 Max.	IS 3025 (Part 16):2023
7.	Total Suspended Solids (at 105°C)	mg/L	BQL (LOQ:5)	-	-	APHA 24th Ed. 2023, 2540-D
8.	Alkalinity Total (as $CaCO_3$)	mg/L	304	200 Max.	600 Max.	APHA 24th Ed. 2023, 2320-B
9.	Total Hardness (as $CaCO_3$)	mg/L	616	200 Max.	600 Max.	APHA 24th Ed. 2023, 2340-C
10.	Chloride (as Cl)	mg/L	146	250 Max.	1000 Max.	APHA 24th Ed. 2023, 4500-Cl-B
11.	Sulphate (as SO_4)	mg/L	164	200 Max.	400 Max.	APHA 24th Ed. 2023, 4500-SO_4-E
12.	Nitrate (as NO_3)	mg/L	52.3	45 Max.	No relaxation	APHA 24th Ed. 2023,4500-NO_3, B
13.	Calcium (as Ca)	mg/L	114	75 Max.	200 Max.	APHA 24th Ed. 2023, 3500-Ca-B

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-1826260722

Report No.:	ME-1826260722	Date: 28.07.2026
ULR No.:	TC748726000016111F	

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
14.	Magnesium (as Mg)	mg/L	80.7	30 Max.	100 Max.	APHA 24th Ed. 2023, 3500-Mg-B
15.	Fluoride (as F)	mg/L	0.28	1 Max.	1.5 Max.	APHA 24th Ed. 2023, 4500-F, D
16.	Dissolved Oxygen	mg/L	6.4	-	-	APHA 24th Ed. 2023, 4500-O, B & C
17.	Oil and Grease	mg/L	BQL (LOQ:1)	-	-	IS 3025 (Part 39): 2021
18.	Cyanide (as CN)	mg/L	BQL (LOQ:0.001)	0.05 Max.	No relaxation	APHA 24th Ed. 2023, 4500-CN, C & E
19.	Phenolic Compounds (as C_6H_5OH)	mg/L	BQL (LOQ:0.001)	0.001 Max.	0.002 Max.	APHA 24th Ed. 2023, 5530- B & C
	Product Group: Residues in water					
20.	Boron (as B)	mg/L	BQL (LOQ:0.02)	0.5 Max.	2.4 Max.	IS 3025 (Part 2) 2019
21.	Iron (as Fe)	mg/L	0.438	1.0 Max.	No relaxation	IS 3025 (Part 2) 2019
22.	Manganese (as Mn)	mg/L	0.013	0.1 Max.	0.3 Max.	IS 3025 (Part 2) 2019
23.	Aluminium (as Al)	mg/L	BQL (LOQ:0.025)	0.03 Max.	0.2 Max.	APHA 24th Ed. 2023, 3500-Al-B
24.	Cadmium (as Cd)	mg/L	BQL (LOQ:0.0027)	0.003Max	No relaxation	IS 3025 (Part 2) 2019
25.	Chromium Total (as Cr)	mg/L	BQL (LOQ:0.01)	0.05 Max.	No relaxation	IS 3025 (Part 2) 2019
26.	Copper (as Cu)	mg/L	0.012	0.05 Max.	1.5 Max.	IS 3025 (Part 2) 2019
27.	Lead (as Pb)	mg/L	BQL (LOQ:0.008)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
28.	Zinc (as Zn)	mg/L	0.043	5 Max.	15 Max.	IS 3025 (Part 2) 2019
29.	Arsenic (as As)	mg/L	BQL (LOQ:0.007)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
30.	Mercury (as Hg)	mg/L	BQL (LOQ:0.0005)	0.001Max	No relaxation	APHA 24th Ed. 2023, 3112-B
31.	Selenium (as Se)	mg/L	BQL (LOQ:0.01)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. # Acceptable Limit as per IS 10500:2012
4. $ Permissible Limit in the Absence of Alternate Source as per IS 10500:2012
5. The result listed refers only to the tested sample(s) and applicable parameter(s).
6. This report is not to be reproduced except in full, without the written approval of the laboratory.
7. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MEEPL

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-1827260722

Report No.:	ME-1827260722	Date: 28.07.2026
ULR No.:	TC748726000016112F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ground water	Sampling Done by	Laboratory
Sampling Location	Village Dawargaon	Sample Quantity / Packing	3L X 1 No. PVC Can 500 mL X 1 No. PVC Can 1 L X 1 No. Glass Bottle
Date of Sampling	22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	IS: 17614; APHA 24th Ed. 2023, 1060-B		
Date of Start of Analysis	22.07.2026	Date of Completion of Analysis	28.07.2026

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Water (Ground Water)					
1.	Colour	Hazen	BQL (LOQ:1)	5 Max.	15 Max.	APHA 24th Ed. 2023, 2120-B
2.	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 05):2018
3.	Turbidity	NTU	0.2	1 Max.	5 Max.	APHA 24th Ed. 2023, 2130-B
4.	pH (at 25^{0}C)	-	7.8	6.5 to 8.5	No relaxation	APHA 24th Ed. 2023, 4500-H+-B
5.	Residual Chlorine (Free)	mg/L	BQL (LOQ:0.05)	0.2 Min.	1.0 Min.	APHA 24th Ed. 2023, 4500-Cl G
6.	Total Dissolved Solids (at 180^{0}C)	mg/L	861	500 Max.	2000 Max.	IS 3025 (Part 16):2023
7.	Total Suspended Solids (at 105^{0}C)	mg/L	BQL (LOQ:5)	-	-	APHA 24th Ed. 2023, 2540-D
8.	Alkalinity Total (as $CaCO_3$)	mg/L	428	200 Max.	600 Max.	APHA 24th Ed. 2023, 2320-B
9.	Total Hardness (as $CaCO_3$)	mg/L	612	200 Max.	600 Max.	APHA 24th Ed. 2023, 2340-C
10.	Chloride (as Cl)	mg/L	130	250 Max.	1000 Max.	APHA 24th Ed. 2023, 4500-Cl-B
11.	Sulphate (as SO_4)	mg/L	82.8	200 Max.	400 Max.	APHA 24th Ed. 2023, 4500-SO_4-E
12.	Nitrate (as NO_3)	mg/L	51.4	45 Max.	No relaxation	APHA 24th Ed. 2023,4500-NO_3, B
13.	Calcium (as Ca)	mg/L	119	75 Max.	200 Max.	APHA 24th Ed. 2023, 3500-Ca-B

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-1827260722

Report No.:	ME-1827260722	Date: 28.07.2026
ULR No.:	TC748726000016112F	

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
14.	Magnesium (as Mg)	mg/L	76.8	30 Max.	100 Max.	APHA 24th Ed. 2023, 3500-Mg-B
15.	Fluoride (as F)	mg/L	0.24	1 Max.	1.5 Max.	APHA 24th Ed. 2023, 4500-F, D
16.	Dissolved Oxygen	mg/L	6.5	-	-	APHA 24th Ed. 2023, 4500-O, B & C
17.	Oil and Grease	mg/L	BQL (LOQ:1)	-	-	IS 3025 (Part 39): 2021
18.	Cyanide (as CN)	mg/L	BQL (LOQ:0.001)	0.05 Max.	No relaxation	APHA 24th Ed. 2023, 4500-CN, C & E
19.	Phenolic Compounds (as C_6H_5OH)	mg/L	BQL (LOQ:0.001)	0.001 Max.	0.002 Max.	APHA 24th Ed. 2023, 5530- B & C
	Product Group: Residues in water					
20.	Boron (as B)	mg/L	BQL (LOQ:0.02)	0.5 Max.	2.4 Max.	IS 3025 (Part 2) 2019
21.	Iron (as Fe)	mg/L	0.112	1.0 Max.	No relaxation	IS 3025 (Part 2) 2019
22.	Manganese (as Mn)	mg/L	0.023	0.1 Max.	0.3 Max.	IS 3025 (Part 2) 2019
23.	Aluminium (as Al)	mg/L	BQL (LOQ:0.025)	0.03 Max.	0.2 Max.	APHA 24th Ed. 2023, 3500-Al-B
24.	Cadmium (as Cd)	mg/L	BQL (LOQ:0.0027)	0.003Max	No relaxation	IS 3025 (Part 2) 2019
25.	Chromium Total (as Cr)	mg/L	BQL (LOQ:0.01)	0.05 Max.	No relaxation	IS 3025 (Part 2) 2019
26.	Copper (as Cu)	mg/L	BQL (LOQ:0.01)	0.05 Max.	1.5 Max.	IS 3025 (Part 2) 2019
27.	Lead (as Pb)	mg/L	BQL (LOQ:0.008)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
28.	Zinc (as Zn)	mg/L	BQL (LOQ:0.02)	5 Max.	15 Max.	IS 3025 (Part 2) 2019
29.	Arsenic (as As)	mg/L	BQL (LOQ:0.007)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
30.	Mercury (as Hg)	mg/L	BQL (LOQ:0.0005)	0.001Max	No relaxation	APHA 24th Ed. 2023, 3112-B
31.	Selenium (as Se)	mg/L	BQL (LOQ:0.01)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. # Acceptable Limit as per IS 10500:2012
4. $ Permissible Limit in the Absence of Alternate Source as per IS 10500:2012
5. The result listed refers only to the tested sample(s) and applicable parameter(s).
6. This report is not to be reproduced except in full, without the written approval of the laboratory.
7. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SW-1820260722

Report No.:	ME-1820260722	Date: 28.07.2026
ULR No.:	TC748726000016105F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Surface water	Sampling Done by	Laboratory
Sampling Location	Malegaon Pond	Sample Quantity / Packing	2L X 1 No. PVC Can 500 mL X 1 No. PVC Can 1 L X 1 No. Glass Bottle
Date of Sampling	22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	IS: 17614; APHA 24th Ed. 2023, 1060-B		
Date of Start of Analysis	22.07.2026	Date of Completion of Analysis	28.07.2026

Sr. No.	Parameter	Unit	Result	Method Reference
	Discipline: Chemical Testing; Product Group: Water (Surface Water)			
1.	Colour	Hazen	BQL (LOQ:1)	APHA 24th Ed. 2023, 2120-B
2.	Odour	-	Agreeable	IS 3025 (Part 05):2018
3.	Turbidity	NTU	0.4	APHA 24th Ed. 2023, 2130-B
4.	pH (at 25°C)	-	8.1	APHA 24th Ed. 2023, 4500-H+-B
5.	Residual Chlorine (Free)	mg/L	BQL (LOQ:0.05)	APHA 24th Ed. 2023, 4500-Cl G
6.	Total Dissolved Solids (at 180°C)	mg/L	745	IS 3025 (Part 16):2023
7.	Total Suspended Solids (at 105°C)	mg/L	BQL (LOQ:5)	APHA 24th Ed. 2023, 2540-D
8.	Alkalinity Total (as $CaCO_3$)	mg/L	150	APHA 24th Ed. 2023, 2320-B
9.	Total Hardness (as $CaCO_3$)	mg/L	540	APHA 24th Ed. 2023, 2340-C
10.	Chloride (as Cl)	mg/L	118	APHA 24th Ed. 2023, 4500-Cl-B
11.	Sulphate (as SO_4)	mg/L	287	APHA 24th Ed. 2023, 4500-SO_4-E
12.	Nitrate (as NO_3)	mg/L	7.07	APHA 24th Ed. 2023, 4500-NO_3, E
13.	Calcium (as Ca)	mg/L	148	APHA 24th Ed. 2023, 3500-Ca-B
14.	Magnesium (as Mg)	mg/L	41.3	APHA 24th Ed. 2023, 3500-Mg-B
15.	Fluoride (as F)	mg/L	0.31	APHA 24th Ed. 2023, 4500-F, D
16.	Dissolved Oxygen	mg/L	5.2	APHA 24th Ed. 2023, 4500-O, B & C

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SW-1820260722

Report No.:	ME-1820260722	Date: 28.07.2026
ULR No.:	TC748726000016105F	

Sr. No.	Parameter	Unit	Result	Method Reference
17.	Oil and Grease	mg/L	BQL (LOQ:1)	IS 3025 (Part 39): 2021
18.	Cyanide (as CN)	mg/L	BQL (LOQ:0.001)	APHA 24th Ed. 2023, 4500-CN, C & E
19.	Phenolic Compounds (as C_6H_5OH)	mg/L	BQL (LOQ:0.001)	APHA 24th Ed. 2023, 5530- B & C
	Product Group: Residues in water			
20.	Boron (as B)	mg/L	0.040	IS 3025 (Part 2) 2019
21.	Iron (as Fe)	mg/L	0.417	IS 3025 (Part 2) 2019
22.	Manganese (as Mn)	mg/L	0.050	IS 3025 (Part 2) 2019
23.	Aluminium (as Al)	mg/L	BQL (LOQ:0.025)	APHA 24th Ed. 2023, 3500-Al-B
24.	Cadmium (as Cd)	mg/L	BQL (LOQ:0.0027)	IS 3025 (Part 2) 2019
25.	Chromium Total (as Cr)	mg/L	BQL (LOQ:0.01)	IS 3025 (Part 2) 2019
26.	Copper (as Cu)	mg/L	0.010	IS 3025 (Part 2) 2019
27.	Lead (as Pb)	mg/L	BQL (LOQ:0.008)	IS 3025 (Part 2) 2019
28.	Zinc (as Zn)	mg/L	BQL (LOQ:0.02)	IS 3025 (Part 2) 2019
29.	Arsenic (as As)	mg/L	BQL (LOQ:0.007)	IS 3025 (Part 2) 2019
30.	Mercury (as Hg)	mg/L	BQL (LOQ:0.0005)	APHA 24th Ed. 2023, 3112-B
31.	Selenium (as Se)	mg/L	BQL (LOQ:0.01)	IS 3025 (Part 2) 2019

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. The result listed refers only to the tested sample(s) and applicable parameter(s).
4. This report is not to be reproduced except in full, without the written approval of the laboratory.
5. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MEEPL

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SW-1821260722

Report No.:	ME-1821260722	Date: 28.07.2026
ULR No.:	TC748726000016106F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Surface water	Sampling Done by	Laboratory
Sampling Location	Wagholi Pond	Sample Quantity / Packing	2L X 1 No. PVC Can 500 mL X 1 No. PVC Can 1 L X 1 No. Glass Bottle
Date of Sampling	22.07.2026	Date of Receipt of Sample	22.07.2026
Sampling Procedure	IS: 17614; APHA 24th Ed. 2023, 1060-B		
Date of Start of Analysis	22.07.2026	Date of Completion of Analysis	28.07.2026

Sr. No.	Parameter	Unit	Result	Method Reference
	Discipline: Chemical Testing; Product Group: Water (Surface Water)			
1.	Colour	Hazen	BQL (LOQ:1)	APHA 24th Ed. 2023, 2120-B
2.	Odour	-	Agreeable	IS 3025 (Part 05):2018
3.	Turbidity	NTU	0.3	APHA 24th Ed. 2023, 2130-B
4.	pH (at 25°C)	-	8.0	APHA 24th Ed. 2023, 4500-H+-B
5.	Residual Chlorine (Free)	mg/L	BQL (LOQ:0.05)	APHA 24th Ed. 2023, 4500-Cl G
6.	Total Dissolved Solids (at 180°C)	mg/L	743	IS 3025 (Part 16):2023
7.	Total Suspended Solids (at 105°C)	mg/L	BQL (LOQ:5)	APHA 24th Ed. 2023, 2540-D
8.	Alkalinity Total (as $CaCO_3$)	mg/L	144	APHA 24th Ed. 2023, 2320-B
9.	Total Hardness (as $CaCO_3$)	mg/L	536	APHA 24th Ed. 2023, 2340-C
10.	Chloride (as Cl)	mg/L	108	APHA 24th Ed. 2023, 4500-Cl-B
11.	Sulphate (as SO_4)	mg/L	293	APHA 24th Ed. 2023, 4500-SO_4-E
12.	Nitrate (as NO_3)	mg/L	4.91	APHA 24th Ed. 2023, 4500-NO_3, E
13.	Calcium (as Ca)	mg/L	149	APHA 24th Ed. 2023, 3500-Ca-B
14.	Magnesium (as Mg)	mg/L	39.9	APHA 24th Ed. 2023, 3500-Mg-B
15.	Fluoride (as F)	mg/L	0.29	APHA 24th Ed. 2023, 4500-F, D
16.	Dissolved Oxygen	mg/L	6.5	APHA 24th Ed. 2023, 4500-O, B & C

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SW-1821260722

Report No.:	ME-1821260722	Date: 28.07.2026
ULR No.:	TC748726000016106F	

Sr. No.	Parameter	Unit	Result	Method Reference
17.	Oil and Grease	mg/L	BQL (LOQ:1)	IS 3025 (Part 39): 2021
18.	Cyanide (as CN)	mg/L	BQL (LOQ:0.001)	APHA 24th Ed. 2023, 4500-CN, C & E
19.	Phenolic Compounds (as C_6H_5OH)	mg/L	BQL (LOQ:0.001)	APHA 24th Ed. 2023, 5530- B & C
	Product Group: Residues in water			
20.	Boron (as B)	mg/L	0.070	IS 3025 (Part 2) 2019
21.	Iron (as Fe)	mg/L	0.295	IS 3025 (Part 2) 2019
22.	Manganese (as Mn)	mg/L	0.046	IS 3025 (Part 2) 2019
23.	Aluminium (as Al)	mg/L	BQL (LOQ:0.025)	APHA 24th Ed. 2023, 3500-Al-B
24.	Cadmium (as Cd)	mg/L	BQL (LOQ:0.0027)	IS 3025 (Part 2) 2019
25.	Chromium Total (as Cr)	mg/L	BQL (LOQ:0.01)	IS 3025 (Part 2) 2019
26.	Copper (as Cu)	mg/L	BQL (LOQ:0.01)	IS 3025 (Part 2) 2019
27.	Lead (as Pb)	mg/L	BQL (LOQ:0.008)	IS 3025 (Part 2) 2019
28.	Zinc (as Zn)	mg/L	0.042	IS 3025 (Part 2) 2019
29.	Arsenic (as As)	mg/L	BQL (LOQ:0.007)	IS 3025 (Part 2) 2019
30.	Mercury (as Hg)	mg/L	BQL (LOQ:0.0005)	APHA 24th Ed. 2023, 3112-B
31.	Selenium (as Se)	mg/L	BQL (LOQ:0.01)	IS 3025 (Part 2) 2019

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. The result listed refers only to the tested sample(s) and applicable parameter(s).
4. This report is not to be reproduced except in full, without the written approval of the laboratory.
5. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MEERL

MAHABAL ENVIRO ENGINEERS P. LTD. Laboratory Division

TC-7487