Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-2034260325

Report No.:	ME-2034260325	Date: 31.03.2026
ULR No.:	TC748726000006603F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Stack Emission	Sampling Done by	Laboratory
Sampling Location	Boiler Unit No.1	Sample Quantity / Packing	Thimble: 1 X 1 No. SO_2:30 mL X 1 No. PVC Bottle NO_X:25 mL X 1 No. PVC Bottle
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	31.03.2026

Stack Details	
Stack Identity	Boiler Unit No. 1
Stack attached to	ESP of Boiler Unit No. 1
Material of construction	M.S.
Stack height above ground level (Meter)	275
Stack diameter (Meter)	4.6
Stack shape at top	Round
Type of fuel	Coal
Fuel Consumption (t/h)	154
Load at the time of monitoring (MW)	245
Time of Monitoring (h)	-

Sr. No.	Parameter	Unit	Result	#Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Stack Emission)				
1.	Flue gas Temperature	^0C	125	-	IS 11255 (Part 3):2008
2.	Flue gas Velocity	m/s	28.4	-	IS 11255 (Part 3):2008
3.	Flue gas Flow Rate	Nm^3/h	1209571	-	IS 11255 (Part 3):2008
4.	Particulate Matter (PM)	mg/Nm^3	35	50	IS 11255 (Part 1):1985
5.	Sulphur Dioxide (SO_2)	mg/Nm^3	543	600	IS 11255 (Part 2):1985
6.	Oxides of Nitrogen (NO_X)	mg/Nm^3	281	450	IS 11255 (Part 7): 2005

END OF REPORT

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-2034260325

Report No.:	ME-2034260325	Date: 31.03.2026
ULR No.:	TC748726000006603F	

Note:
1. BQL: Below Quantification Limit
2. LOQ: Limit of Quantification
3. #: Limit as per MPCB Consent
4. The result listed refers only to the tested sample(s) and applicable parameter(s).
5. This report is not to be reproduced except in full, without the written approval of the laboratory.
6. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGG. PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-2034260325

Report No.:	ME-2034260325N	Date: 31.03.2026
ULR No.:	-	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Stack Emission	Sampling Done by	Laboratory
Sampling Location	Boiler Unit No.1	Sample Quantity / Packing	CO: 1L X 1 No. Gas Bladder
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	31.03.2026

Stack Details	
Stack Identity	Boiler Unit No. 1
Stack attached to	ESP of Boiler Unit No. 1
Material of construction	M.S.
Stack height above ground level (Meter)	275
Stack diameter (Meter)	4.6
Stack shape at top	Round
Type of fuel	Coal
Fuel Consumption (t/h)	154
Load at the time of monitoring (MW)	245
Time of Monitoring (h)	-

Sr. No.	Parameter	Unit	Result	#Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Stack Emission)				
1.	Carbon Monoxide (CO)	mg/Nm^3	17	-	IS 5182 (Part 10): 1999 (NDIR method)

END OF REPORT

Note:
1. BQL: Below Quantification Limit
2. LOQ: Limit of Quantification
3. The result listed refers only to the tested sample(s) and applicable parameter(s).
4. This report is not to be reproduced except in full, without the written approval of the laboratory.
5. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MEEPL

MAHABAL ENVIRO ENGINEERS P. LTD. Laboratory Division

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-2035260325

Report No.:	ME-2035260325	Date: 31.03.2026
ULR No.:	TC748726000006604F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Stack Emission	Sampling Done by	Laboratory
Sampling Location	Boiler Unit No.2	Sample Quantity / Packing	Thimble: 1 X 1 No. SO_2:30 mL X 1 No. PVC Bottle NO_X:25 mL X 1 No. PVC Bottle
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	31.03.2026

Stack Details	
Stack Identity	Boiler Unit No. 2
Stack attached to	ESP of Boiler Unit No. 2
Material of construction	M.S.
Stack height above ground level (Meter)	275
Stack diameter (Meter)	4.6
Stack shape at top	Round
Type of fuel	Coal
Fuel Consumption (t/h)	156
Load at the time of monitoring (MW)	260
Time of Monitoring (h)	-

Sr. No.	Parameter	Unit	Result	#Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Stack Emission)				
1.	Flue gas Temperature	^0C	126	-	IS 11255 (Part 3):2008
2.	Flue gas Velocity	m/s	28.5	-	IS 11255 (Part 3):2008
3.	Flue gas Flow Rate	Nm^3/h	1210241	-	IS 11255 (Part 3):2008
4.	Particulate Matter (PM)	mg/Nm^3	37	50	IS 11255 (Part 1):1985
5.	Sulphur Dioxide (SO_2)	mg/Nm^3	548	600	IS 11255 (Part 2):1985
6.	Oxides of Nitrogen (NO_X)	mg/Nm^3	272	450	IS 11255 (Part 7): 2005

END OF REPORT

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-2035260325

Report No.:	ME-2035260325	Date: 31.03.2026
ULR No.:	TC748726000006604F	

Note:
1. BQL: Below Quantification Limit
2. LOQ: Limit of Quantification
3. #: Limit as per MPCB Consent
4. The result listed refers only to the tested sample(s) and applicable parameter(s).
5. This report is not to be reproduced except in full, without the written approval of the laboratory.
6. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-2035260325

Report No.:	ME-2035260325N	Date: 31.03.2026
ULR No.:	-	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Stack Emission	Sampling Done by	Laboratory
Sampling Location	Boiler Unit No.2	Sample Quantity / Packing	CO: 1L X 1 No. Gas Bladder
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	31.03.2026

Stack Details	
Stack Identity	Boiler Unit No. 2
Stack attached to	ESP of Boiler Unit No. 2
Material of construction	M.S.
Stack height above ground level (Meter)	275
Stack diameter (Meter)	4.6
Stack shape at top	Round
Type of fuel	Coal
Fuel Consumption (t/h)	156
Load at the time of monitoring (MW)	260
Time of Monitoring (h)	-

Sr. No.	Parameter	Unit	Result	#Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Stack Emission)				
1.	Carbon Monoxide (CO)	mg/Nm^3	15	-	IS 5182 (Part 10): 1999 (NDIR method)

END OF REPORT

Note:
1. BQL: Below Quantification Limit
2. LOQ: Limit of Quantification
3. The result listed refers only to the tested sample(s) and applicable parameter(s).
4. This report is not to be reproduced except in full, without the written approval of the laboratory.
5. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-2016260325

Report No.:	ME-2036260325	Date: 31.03.2026
ULR No.:	TC748726000006605F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Stack Emission	Sampling Done by	Laboratory
Sampling Location	Boiler Unit No.3	Sample Quantity / Packing	Thimble: 1 X 1 No. SO_2:30 mL X 1 No. PVC Bottle NO_X:25 mL X 1 No. PVC Bottle
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	31.03.2026

Stack Details	
Stack identity	Boiler Unit No. 3
Stack attached to	ESP of Boiler Unit No. 3
Material of construction	M.S.
Stack height above ground level (Meter)	275
Stack diameter (Meter)	4.6
Stack shape at top	Round
Type of fuel	Coal
Fuel Consumption (t/h)	147
Load at the time of monitoring (MW)	262
Time of Monitoring (h)	-

Sr. No.	Parameter	Unit	Result	#Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Stack Emission)				
1.	Flue gas Temperature	°C	118	-	IS 11255 (Part 3):2008
2.	Flue gas Velocity	m/s	28.8	-	IS 11255 (Part 3):2008
3.	Flue gas Flow Rate	Nm^3/h	1248299	-	IS 11255 (Part 3):2008
4.	Particulate Matter (PM)	mg/Nm^3	32	50	IS 11255 (Part 1):1985
5.	Sulphur Dioxide (SO_2)	mg/Nm^3	498	600	IS 11255 (Part 2):1985
6.	Oxides of Nitrogen (NO_X)	mg/Nm^3	291	450	IS 11255 (Part 7): 2005

END OF REPORT

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-2036260325

Report No.:	ME-2036260325	Date: 31.03.2026
ULR No.:	TC748726000006605F	

Note:
1. BQL: Below Quantification Limit
2. LOQ: Limit of Quantification
3. #: Limit as per MPCB Consent
4. The result listed refers only to the tested sample(s) and applicable parameter(s).
5. This report is not to be reproduced except in full, without the written approval of the laboratory.
6. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-2036260325

Report No.:	ME-2036260325N	Date: 31.03.2026
ULR No.:	-	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Stack Emission	Sampling Done by	Laboratory
Sampling Location	Boiler Unit No.3	Sample Quantity / Packing	CO: 1L X 1 No. Gas Bladder
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	31.03.2026

Stack Details	
Stack Identity	Boiler Unit No. 3
Stack attached to	ESP of Boiler Unit No. 3
Material of construction	M.S.
Stack height above ground level (Meter)	275
Stack diameter (Meter)	4.6
Stack shape at top	Round
Type of fuel	Coal
Fuel Consumption (t/h)	147
Load at the time of monitoring (MW)	262
Time of Monitoring (h)	-

Sr. No.	Parameter	Unit	Result	#Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Stack Emission)				
1.	Carbon Monoxide (CO)	mg/Nm^3	13	-	IS 5182 (Part 10): 1999 (NDIR method)

END OF REPORT

Note:
1. BQL: Below Quantification Limit
2. LOQ: Limit of Quantification
3. The result listed refers only to the tested sample(s) and applicable parameter(s).
4. This report is not to be reproduced except in full, without the written approval of the laboratory.
5. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGG. Laboratory Division

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-2037260325

Report No.:	ME-2037260325	Date: 31.03.2026
ULR No.:	TC748726000006606F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Stack Emission	Sampling Done by	Laboratory
Sampling Location	Boiler Unit No.4	Sample Quantity / Packing	Thimble: 1 X 1 No. SO_2:30 mL X 1 No. PVC Bottle NO_X:25 mL X 1 No. PVC Bottle
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	31.03.2026

Stack Details	
Stack Identity	Boiler Unit No. 4
Stack attached to	ESP of Boiler Unit No. 4
Material of construction	M.S.
Stack height above ground level (Meter)	275
Stack diameter (Meter)	4.6
Stack shape at top	Round
Type of fuel	Coal
Fuel Consumption (t/h)	164
Load at the time of monitoring (MW)	264
Time of Monitoring (h)	-

Sr. No.	Parameter	Unit	Result	#Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Stack Emission)				
1.	Flue gas Temperature	^0C	126	-	IS 11255 (Part 3):2008
2.	Flue gas Velocity	m/s	29.1	-	IS 11255 (Part 3):2008
3.	Flue gas Flow Rate	Nm^3/h	1235330	-	IS 11255 (Part 3):2008
4.	Particulate Matter (PM)	mg/Nm^3	39	50	IS 11255 (Part 1):1985
5.	Sulphur Dioxide (SO_2)	mg/Nm^3	572	600	IS 11255 (Part 2):1985
6.	Oxides of Nitrogen (NO_X)	mg/Nm^3	289	450	IS 11255 (Part 7): 2005

END OF REPORT

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-2037260325

Report No.:	ME-2037260325	Date: 31.03.2026
ULR No.:	TC748726000006606F	

Note:
1. BQL: Below Quantification Limit
2. LOQ: Limit of Quantification
3. #: Limit as per MPCB Consent
4. The result listed refers only to the tested sample(s) and applicable parameter(s).
5. This report is not to be reproduced except in full, without the written approval of the laboratory.
6. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MEEPL

MAHABAL ENVIRO ENGG. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-2037260325

Report No.:	ME-2037260325N	Date: 31.03.2026
ULR No.:	-	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Stack Emission	Sampling Done by	Laboratory
Sampling Location	Boiler Unit No.4	Sample Quantity / Packing	CO: 1L X 1 No. Gas Bladder
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	31.03.2026

Stack Details	
Stack Identity	Boiler Unit No. 4
Stack attached to	ESP of Boiler Unit No. 4
Material of construction	M.S.
Stack height above ground level (Meter)	275
Stack diameter (Meter)	4.6
Stack shape at top	Round
Type of fuel	Coal
Fuel Consumption (t/h)	164
Load at the time of monitoring (MW)	264
Time of Monitoring (h)	-

Sr. No.	Parameter	Unit	Result	#Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Stack Emission)				
1.	Carbon Monoxide (CO)	mg/Nm^3	18	-	IS 5182 (Part 10): 1999 (NDIR method)

END OF REPORT

Note:
1. BQL: Below Quantification Limit
2. LOQ: Limit of Quantification
3. The result listed refers only to the tested sample(s) and applicable parameter(s).
4. This report is not to be reproduced except in full, without the written approval of the laboratory.
5. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGG. Laboratory Division

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-2038260325

Report No.:	ME-2038260325	Date: 31.03.2026
ULR No.:	TC748726000006607F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Stack Emission	Sampling Done by	Laboratory
Sampling Location	Boiler Unit No.5	Sample Quantity / Packing	Thimble: 1 X 1 No. SO_2:30 mL X 1 No. PVC Bottle NO_X:25 mL X 1 No. PVC Bottle
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	31.03.2026

Stack Details	
Stack Identity	Boiler Unit No. 5
Stack attached to	ESP of Boiler Unit No. 5
Material of construction	M.S.
Stack height above ground level (Meter)	275
Stack diameter (Meter)	4.6
Stack shape at top	Round
Type of fuel	Coal
Fuel Consumption (t/h)	162
Load at the time of monitoring (MW)	267
Time of Monitoring (h)	-

Sr. No.	Parameter	Unit	Result	#Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Stack Emission)				
1.	Flue gas Temperature	^0C	128	-	IS 11255 (Part 3):2008
2.	Flue gas Velocity	m/s	29.3	-	IS 11255 (Part 3):2008
3.	Flue gas Flow Rate	Nm^3/h	1238569	-	IS 11255 (Part 3):2008
4.	Particulate Matter (PM)	mg/Nm^3	38	50	IS 11255 (Part 1):1985
5.	Sulphur Dioxide (SO_2)	mg/Nm^3	558	600	IS 11255 (Part 2):1985
6.	Oxides of Nitrogen (NO_X)	mg/Nm^3	269	450	IS 11255 (Part 7): 2005

END OF REPORT

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-2038260325

Report No.:	ME-2038260325	Date: 31.03.2026
ULR No.:	TC748726000006607F	

Note:
1. BQL: Below Quantification Limit
2. LOQ: Limit of Quantification
3. #: Limit as per MPCB Consent
4. The result listed refers only to the tested sample(s) and applicable parameter(s).
5. This report is not to be reproduced except in full, without the written approval of the laboratory.
6. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO E... Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SA-2038260325

Report No.:	ME-2038260325N	Date: 31.03.2026
ULR No.:	-	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Stack Emission	Sampling Done by	Laboratory
Sampling Location	Boiler Unit No.5	Sample Quantity / Packing	CO: 1L X 1 No. Gas Bladder
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	31.03.2026

Stack Details	
Stack Identity	Boiler Unit No. 5
Stack attached to	ESP of Boiler Unit No. 5
Material of construction	M.S.
Stack height above ground level (Meter)	275
Stack diameter (Meter)	4.6
Stack shape at top	Round
Type of fuel	Coal
Fuel Consumption (t/h)	162
Load at the time of monitoring (MW)	267
Time of Monitoring (h)	-

Sr. No.	Parameter	Unit	Result	#Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Stack Emission)				
1.	Carbon Monoxide (CO)	mg/Nm^3	16	-	IS 5182 (Part 10): 1999 (NDIR method)

END OF REPORT

Note:
1. BQL: Below Quantification Limit
2. LOQ: Limit of Quantification
3. The result listed refers only to the tested sample(s) and applicable parameter(s).
4. This report is not to be reproduced except in full, without the written approval of the laboratory.
5. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MEEPL

MAHABAL ENVIRO ENGINEERS P. LTD. Laboratory Division

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

AA-2030260325

Report No.:	ME-2030260325	Date: 02.04.2026
ULR No.:	TC748726000006684F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ambient Air	Sampling Done by	Laboratory
Sampling Location	Village Kapustalni	Sample Quantity / Packing	PM_{10}, B(a), Ni, As, Pb: Filter Paper 1 X 3 No. $PM_{2.5}$: Filter Paper 1 X 1 No. SO_2:30 mL X 6 No. PVC Bottle NO_2:30 mL X 6 No. PVC Bottle NH_3:10 mL X 24 No. PVC Bottle O_3:10 mL X 24 No. PVC Bottle Charcoal Tubes: 1 X 6 No. CO:2L X 3No. Gas Bladder
Date of Sampling	23.03.2026 to 24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	02.04.2026

Sr. No.	Parameter	Unit	Result	#NAAQS	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Ambient Air)				
1.	Sulphur Dioxide (SO_2)	µg/m³	13.3	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
2.	Nitrogen Dioxide (NO_2)	µg/m³	17.2	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
3.	Particulate Matter (size less than 10µm) or PM_{10}	µg/m³	57	100	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
4.	Particulate Matter (size less than 2.5µm) or $PM_{2.5}$	µg/m³	27	60	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
5.	Ozone (O_3)	µg/m³	19.9	180	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
6.	Lead (as Pb)	µg/m³	BQL (LOQ:0.02)	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

AA-2030260325

Report No.:	ME-2030260325	Date: 02.04.2026
ULR No.:	TC748726000006684F	

Sr. No.	Parameter	Unit	Result	#NAAQS	Method Reference
7.	Carbon Monoxide (CO)	mg/m^3	0.75	04	CPCB Guidelines for the Measurement of Ambient Air Pollutants Volume-II, 2012-13 (NDIR method)
8.	Ammonia (NH_3)	$\mu g/m^3$	24.3	400	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
9.	Benzene (C_6H_6)	$\mu g/m^3$	BQL (LOQ:1)	05	IS 5182 (Part 11): 2006
10.	Benzo(a)Pyrene (Particulate phase only)	ng/m^3	BQL (LOQ:0.5)	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
11.	Arsenic (as As)	ng/m^3	BQL (LOQ:0.3)	06	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
12.	Nickel (as Ni)	ng/m^3	4.46	20	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. TWA: Time Weighted Average
4. Duration of Sampling: 24 h
5. NAAQS: National Ambient Air Quality Standard
6. #- NAAQS specified as: 24 h. TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM_{10}, $PM_{2.5}$, Lead and Ammonia; 1 h. TWA in case of Carbon Monoxide, Ozone; Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.
7. The result listed refers only to the tested sample(s) and applicable parameter(s).
8. This report is not to be reproduced except in full, without the written approval of the laboratory.
9. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS P. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

AA-2031260325

Report No.:	ME-2031260325	Date: 02.04.2026
ULR No.:	TC748726000006685F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ambient Air	Sampling Done by	Laboratory
Sampling Location	Village Dawargaon	Sample Quantity / Packing	PM_{10}, B(a), Ni, As, Pb: Filter Paper 1 X 3 No. $PM_{2.5}$: Filter Paper 1 X 1 No. SO_2:30 mL X 6 No. PVC Bottle NO_2:30 mL X 6 No. PVC Bottle NH_3:10 mL X 24 No. PVC Bottle O_3:10 mL X 24 No. PVC Bottle Charcoal Tubes: 1 X 6 No. CO:2L X 3No. Gas Bladder
Date of Sampling	23.03.2026 to 24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	02.04.2026

Sr. No.	Parameter	Unit	Result	#NAAQS	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Ambient Air)				
1.	Sulphur Dioxide (SO_2)	µg/m³	15.6	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
2.	Nitrogen Dioxide (NO_2)	µg/m³	20.1	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
3.	Particulate Matter (size less than 10µm) or PM_{10}	µg/m³	57	100	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
4.	Particulate Matter (size less than 2.5µm) or $PM_{2.5}$	µg/m³	31	60	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
5.	Ozone (O_3)	µg/m³	20.6	180	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
6.	Lead (as Pb)	µg/m³	BQL (LOQ:0.02)	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

AA-2031260325

Report No.:	ME-2031260325	Date: 02.04.2026
ULR No.:	TC748726000006685F	

Sr. No.	Parameter	Unit	Result	#NAAQS	Method Reference
7.	Carbon Monoxide (CO)	mg/m^3	0.85	04	CPCB Guidelines for the Measurement of Ambient Air Pollutants Volume-II, 2012-13 (NDIR method)
8.	Ammonia (NH_3)	$\mu g/m^3$	BQL (LOQ:20)	400	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
9.	Benzene (C_6H_6)	$\mu g/m^3$	BQL (LOQ:1)	05	IS 5182 (Part 11): 2006
10.	Benzo(a)Pyrene (Particulate phase only)	ng/m^3	BQL (LOQ:0.5)	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
11.	Arsenic (as As)	ng/m^3	BQL (LOQ:0.3)	06	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
12.	Nickel (as Ni)	ng/m^3	3.56	20	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. TWA: Time Weighted Average
4. Duration of Sampling: 24 h
5. NAAQS: National Ambient Air Quality Standard
6. #- NAAQS specified as: 24 h. TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM_{10}, $PM_{2.5}$, Lead and Ammonia; 1 h. TWA in case of Carbon Monoxide, Ozone; Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.
7. The result listed refers only to the tested sample(s) and applicable parameter(s).
8. This report is not to be reproduced except in full, without the written approval of the laboratory.
9. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS P.LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

AA-2032260325

Report No.:	ME-2032260325	Date: 02.04.2026
ULR No.:	TC748726000006686F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ambient Air	Sampling Done by	Laboratory
Sampling Location	Village Wagholi Gate	Sample Quantity / Packing	PM_{10}, B(a), Ni, As, Pb: Filter Paper 1 X 3 No. $PM_{2.5}$: Filter Paper 1 X 1 No. SO_2:30 mL X 6 No. PVC Bottle NO_2:30 mL X 6 No. PVC Bottle NH_3:10 mL X 24 No. PVC Bottle O_3:10 mL X 24 No. PVC Bottle Charcoal Tubes: 1 X 6 No. CO:2L X 3No. Gas Bladder
Date of Sampling	23.03.2026 to 24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	02.04.2026

Sr. No.	Parameter	Unit	Result	#NAAQS	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Ambient Air)				
1.	Sulphur Dioxide (SO_2)	µg/m³	12.7	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
2.	Nitrogen Dioxide (NO_2)	µg/m³	15.9	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
3.	Particulate Matter (size less than 10µm) or PM_{10}	µg/m³	63	100	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
4.	Particulate Matter (size less than 2.5µm) or $PM_{2.5}$	µg/m³	28	60	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
5.	Ozone (O_3)	µg/m³	22.5	180	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
6.	Lead (as Pb)	µg/m³	BQL (LOQ:0.02)	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

AA-2032260325

Report No.:	ME-2032260325	Date: 02.04.2026
ULR No.:	TC748726000006686F	

Sr. No.	Parameter	Unit	Result	#NAAQS	Method Reference
7.	Carbon Monoxide (CO)	mg/m^3	0.90	04	CPCB Guidelines for the Measurement of Ambient Air Pollutants Volume-II, 2012-13 (NDIR method)
8.	Ammonia (NH_3)	$\mu g/m^3$	22.4	400	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
9.	Benzene (C_6H_6)	$\mu g/m^3$	BQL (LOQ:1)	05	IS 5182 (Part 11): 2006
10.	Benzo(a)Pyrene (Particulate phase only)	ng/m^3	BQL (LOQ:0.5)	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
11.	Arsenic (as As)	ng/m^3	BQL (LOQ:0.3)	06	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
12.	Nickel (as Ni)	ng/m^3	BQL (LOQ:3)	20	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. TWA: Time Weighted Average
4. Duration of Sampling: 24 h
5. NAAQS: National Ambient Air Quality Standard
6. #- NAAQS specified as: 24 h. TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM_{10}, $PM_{2.5}$, Lead and Ammonia; 1 h. TWA in case of Carbon Monoxide, Ozone; Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.
7. The result listed refers only to the tested sample(s) and applicable parameter(s).
8. This report is not to be reproduced except in full, without the written approval of the laboratory.
9. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS P. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

AA-2033260325

Report No.:	ME-2033260325	Date: 02.04.2026
ULR No.:	TC748726000006687F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ambient Air	Sampling Done by	Laboratory
Sampling Location	Terrace of Bachelor Guest House	Sample Quantity / Packing	PM_{10}, B(a), Ni, As, Pb: Filter Paper 1 X 3 No. $PM_{2.5}$: Filter Paper 1 X 1 No. SO_2:30 mL X 6 No. PVC Bottle NO_2:30 mL X 6 No. PVC Bottle NH_3:10 mL X 24 No. PVC Bottle O_3:10 mL X 24 No. PVC Bottle Charcoal Tubes: 1 X 6 No. CO:2L X 3No. Gas Bladder
Date of Sampling	23.03.2026 to 24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	As per method reference		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	02.04.2026

Sr. No.	Parameter	Unit	Result	#NAAQS	Method Reference
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Ambient Air)				
1.	Sulphur Dioxide (SO_2)	µg/m³	14.1	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
2.	Nitrogen Dioxide (NO_2)	µg/m³	17.1	80	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
3.	Particulate Matter (size less than 10µm) or PM_{10}	µg/m³	64	100	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
4.	Particulate Matter (size less than 2.5µm) or $PM_{2.5}$	µg/m³	31	60	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
5.	Ozone (O_3)	µg/m³	BQL (LOQ:19.6)	180	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
6.	Lead (as Pb)	µg/m³	BQL (LOQ:0.02)	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

AA-2033260325

Report No.:	ME-2033260325	Date: 02.04.2026
ULR No.:	TC748726000006687F	

Sr. No.	Parameter	Unit	Result	#NAAQS	Method Reference
7.	Carbon Monoxide (CO)	mg/m^3	0.69	04	CPCB Guidelines for the Measurement of Ambient Air Pollutants Volume-II, 2012-13 (NDIR method)
8.	Ammonia (NH_3)	$\mu g/m^3$	25.3	400	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
9.	Benzene (C_6H_6)	$\mu g/m^3$	BQL (LOQ:1)	05	IS 5182 (Part 11): 2006
10.	Benzo(a)Pyrene (Particulate phase only)	ng/m^3	BQL (LOQ:0.5)	01	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
11.	Arsenic (as As)	ng/m^3	BQL (LOQ:0.3)	06	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13
12.	Nickel (as Ni)	ng/m^3	4.46	20	CPCB Guidelines for the Measurement of Ambient Air Pollutants, Volume I, 2012-13

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. TWA: Time Weighted Average
4. Duration of Sampling: 24 h
5. NAAQS: National Ambient Air Quality Standard
6. #- NAAQS specified as: 24 h. TWA in case of Sulphur Dioxide, Nitrogen Dioxide, PM_{10}, $PM_{2.5}$, Lead and Ammonia; 1 h. TWA in case of Carbon Monoxide, Ozone; Annual TWA in case of Benzene, Benzo (a) Pyrene, Arsenic and Nickel.
7. The result listed refers only to the tested sample(s) and applicable parameter(s).
8. This report is not to be reproduced except in full, without the written approval of the laboratory.
9. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS P. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

WNA-2039260325

Report No.:	ME-2039260325	Date: 31.03.2026
ULR No.:	TC748726000006608F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**	SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Workroom Noise	
Date of Sampling	23.03.2026	
Sampling Procedure	CPCB Protocol for Ambient level Noise Monitoring 2015	

Sr. No.	Location	Time in h	Sound Level L_{eq} dB (A)	
			L_{min}	L_{max}
	Discipline: Chemical Testing; Product Group: Atmospheric Pollution (Workroom Noise)			
1.	Turbine Area No. 3 & 4	12:10 to 12:15	66.9	71.4
2.	Near CHP Crusher House	11:50 to 11:55	62.5	68.7
3.	Near Compressor Room	12:10 to 12:15	67.4	70.2
4.	Near Main Gate	10:30 to 10:35	61.3	64.8
5.	Near Colony	13:10 to 13:15	56.9	63.1

Limit as per The Factories Act, 1948, The Maharashtra Factory Rules, 1963, Schedule XXIV	
Total time of exposure per day, in hours.	**Max. Sound pressure level in dB (A)**
8	90
6	92
4	95
3	97
2	100
1 ½	102
1	105
¾	107
½	110
¼	115

END OF REPORT

Note:
1. The result listed refers only to the tested sample(s) and applicable parameter(s).
2. This report is not to be reproduced except in full, without the written approval of the laboratory.
3. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-2042260325

Report No.:	ME-2042260325	Date: 02.04.2026
ULR No.:	TC748726000006690F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ground water	Sampling Done by	Laboratory
Sampling Location	Village Kapustalni	Sample Quantity / Packing	3L X 1 No. PVC Can 500 mL X 1 No. PVC Can 1 L X 1 No. Glass Bottle
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	IS: 17614; APHA 24th Ed. 2023, 1060-B		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	02.04.2026

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Water (Ground Water)					
1.	Colour	Hazen	BQL (LOQ:1)	5 Max.	15 Max.	APHA 24th Ed. 2023, 2120-B
2.	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 05):2018
3.	Turbidity	NTU	0.2	1 Max.	5 Max.	APHA 24th Ed. 2023, 2130-B
4.	pH (at 25°C)	-	7.4	6.5 to 8.5	No relaxation	APHA 24th Ed. 2023, 4500-H+-B
5.	Free Chlorine (Residual)	mg/L	BQL (LOQ:0.05)	0.2 Min.	1.0 Min.	APHA 24th Ed. 2023, 4500-Cl G
6.	Total Dissolved Solids (at 180°C)	mg/L	673	500 Max.	2000 Max.	IS 3025 (Part 16):2023
7.	Total Suspended Solids (at 105°C)	mg/L	BQL (LOQ:5)	-	-	APHA 24th Ed. 2023, 2540-D
8.	Alkalinity Total (as $CaCO_3$)	mg/L	286	200 Max.	600 Max.	APHA 24th Ed. 2023, 2320-B
9.	Total Hardness (as $CaCO_3$)	mg/L	550	200 Max.	600 Max.	APHA 24th Ed. 2023, 2340-C
10.	Chloride (as Cl)	mg/L	47.0	250 Max.	1000 Max.	APHA 24th Ed. 2023, 4500-Cl-B
11.	Sulphate (as SO_4)	mg/L	152	200 Max.	400 Max.	APHA 24th Ed. 2023, 4500-SO_4-E
12.	Nitrate (as NO_3)	mg/L	39.4	45 Max.	No relaxation	APHA 24th Ed. 2023,4500-NO_3, B
13.	Calcium (as Ca)	mg/L	108	75 Max.	200 Max.	APHA 24th Ed. 2023, 3500-Ca-B

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-2042260325

Report No.:	ME-2042260325	Date: 02.04.2026
ULR No.:	TC748726000006690F	

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
14.	Magnesium (as Mg)	mg/L	68.0	30 Max.	100 Max.	APHA 24th Ed. 2023, 3500-Mg-B
15.	Fluoride (as F)	mg/L	0.74	1 Max.	1.5 Max.	APHA 24th Ed. 2023, 4500-F, D
16.	Dissolved Oxygen	mg/L	6.5	-	-	APHA 24th Ed. 2023, 4500-O, B & C
17.	Oil and Grease	mg/L	BQL (LOQ:1)	-	-	IS 3025 (Part 39): 2021
18.	Cyanide (as CN)	mg/L	BQL (LOQ:0.001)	0.05 Max.	No relaxation	APHA 24th Ed. 2023, 4500-CN, C & E
19.	Phenolic Compounds (as C_6H_5OH)	mg/L	BQL (LOQ:0.001)	0.001 Max.	0.002 Max.	APHA 24th Ed. 2023, 5530- B & C
	Product Group: Residues in water					
20.	Boron (as B)	mg/L	BQL (LOQ:0.02)	0.5 Max.	2.4 Max.	IS 3025 (Part 2) 2019
21.	Iron (as Fe)	mg/L	0.118	1.0 Max.	No relaxation	IS 3025 (Part 2) 2019
22.	Manganese (as Mn)	mg/L	BQL (LOQ:0.01)	0.1 Max.	0.3 Max.	IS 3025 (Part 2) 2019
23.	Aluminium (as Al)	mg/L	BQL (LOQ:0.025)	0.03 Max.	0.2 Max.	APHA 24th Ed. 2023, 3500-Al-B
24.	Cadmium (as Cd)	mg/L	BQL (LOQ:0.0027)	0.003Max	No relaxation	IS 3025 (Part 2) 2019
25.	Chromium Total (as Cr)	mg/L	BQL (LOQ:0.01)	0.05 Max.	No relaxation	IS 3025 (Part 2) 2019
26.	Copper (as Cu)	mg/L	0.010	0.05 Max.	1.5 Max.	IS 3025 (Part 2) 2019
27.	Lead (as Pb)	mg/L	BQL (LOQ:0.008)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
28.	Zinc (as Zn)	mg/L	BQL (LOQ:0.02)	5 Max.	15 Max.	IS 3025 (Part 2) 2019
29.	Arsenic (as As)	mg/L	BQL (LOQ:0.007)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
30.	Mercury (as Hg)	mg/L	BQL (LOQ:0.0005)	0.001Max	No relaxation	APHA 24th Ed. 2023, 3112-B
31.	Selenium (as Se)	mg/L	BQL (LOQ:0.01)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. # Acceptable Limit as per IS 10500:2012
4. $ Permissible Limit in the Absence of Alternate Source as per IS 10500:2012
5. The result listed refers only to the tested sample(s) and applicable parameter(s).
6. This report is not to be reproduced except in full, without the written approval of the laboratory.
7. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-2043260325

Report No.:	ME-2043260325	Date: 02.04.2026
ULR No.:	TC748726000006691F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ground water	Sampling Done by	Laboratory
Sampling Location	Village Pimpalvihirgaon	Sample Quantity / Packing	3L X 1 No. PVC Can 500 mL X 1 No. PVC Can 1 L X 1 No. Glass Bottle
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	IS: 17614; APHA 24th Ed. 2023, 1060-B		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	02.04.2026

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Water (Ground Water)					
1.	Colour	Hazen	BQL (LOQ:1)	5 Max.	15 Max.	APHA 24th Ed. 2023, 2120-B
2.	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 05):2018
3.	Turbidity	NTU	0.2	1 Max.	5 Max.	APHA 24th Ed. 2023, 2130-B
4.	pH (at 25°C)	-	7.6	6.5 to 8.5	No relaxation	APHA 24th Ed. 2023, 4500-H+-B
5.	Free Chlorine (Residual)	mg/L	BQL (LOQ:0.05)	0.2 Min.	1.0 Min.	APHA 24th Ed. 2023, 4500-Cl G
6.	Total Dissolved Solids (at 180°C)	mg/L	667	500 Max.	2000 Max.	IS 3025 (Part 16):2023
7.	Total Suspended Solids (at 105°C)	mg/L	BQL (LOQ:5)	-	-	APHA 24th Ed. 2023, 2540-D
8.	Alkalinity Total (as $CaCO_3$)	mg/L	280	200 Max.	600 Max.	APHA 24th Ed. 2023, 2320-B
9.	Total Hardness (as $CaCO_3$)	mg/L	558	200 Max.	600 Max.	APHA 24th Ed. 2023, 2340-C
10.	Chloride (as Cl)	mg/L	54.0	250 Max.	1000 Max.	APHA 24th Ed. 2023, 4500-Cl-B
11.	Sulphate (as SO_4)	mg/L	154	200 Max.	400 Max.	APHA 24th Ed. 2023, 4500-SO_4-E
12.	Nitrate (as NO_3)	mg/L	37.4	45 Max.	No relaxation	APHA 24th Ed. 2023,4500-NO_3, B
13.	Calcium (as Ca)	mg/L	108	75 Max.	200 Max.	APHA 24th Ed. 2023, 3500-Ca-B

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-2043260325

Report No.:	ME-2043260325	Date: 02.04.2026
ULR No.:	TC748726000006691F	

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
14.	Magnesium (as Mg)	mg/L	70.0	30 Max.	100 Max.	APHA 24th Ed. 2023, 3500-Mg-B
15.	Fluoride (as F)	mg/L	0.67	1 Max.	1.5 Max.	APHA 24th Ed. 2023, 4500-F, D
16.	Dissolved Oxygen	mg/L	6.2	-	-	APHA 24th Ed. 2023, 4500-O, B & C
17.	Oil and Grease	mg/L	BQL (LOQ:1)	-	-	IS 3025 (Part 39): 2021
18.	Cyanide (as CN)	mg/L	BQL (LOQ:0.001)	0.05 Max.	No relaxation	APHA 24th Ed. 2023, 4500-CN, C & E
19.	Phenolic Compounds (as C_6H_5OH)	mg/L	BQL (LOQ:0.001)	0.001 Max.	0.002 Max.	APHA 24th Ed. 2023, 5530- B & C
	Product Group: Residues in water					
20.	Boron (as B)	mg/L	BQL (LOQ:0.02)	0.5 Max.	2.4 Max.	IS 3025 (Part 2) 2019
21.	Iron (as Fe)	mg/L	0.091	1.0 Max.	No relaxation	IS 3025 (Part 2) 2019
22.	Manganese (as Mn)	mg/L	BQL (LOQ:0.01)	0.1 Max.	0.3 Max.	IS 3025 (Part 2) 2019
23.	Aluminium (as Al)	mg/L	BQL (LOQ:0.025)	0.03 Max.	0.2 Max.	APHA 24th Ed. 2023, 3500-Al-B
24.	Cadmium (as Cd)	mg/L	BQL (LOQ:0.0027)	0.003Max	No relaxation	IS 3025 (Part 2) 2019
25.	Chromium Total (as Cr)	mg/L	BQL (LOQ:0.01)	0.05 Max.	No relaxation	IS 3025 (Part 2) 2019
26.	Copper (as Cu)	mg/L	0.012	0.05 Max.	1.5 Max.	IS 3025 (Part 2) 2019
27.	Lead (as Pb)	mg/L	BQL (LOQ:0.008)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
28.	Zinc (as Zn)	mg/L	BQL (LOQ:0.02)	5 Max.	15 Max.	IS 3025 (Part 2) 2019
29.	Arsenic (as As)	mg/L	BQL (LOQ:0.007)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
30.	Mercury (as Hg)	mg/L	BQL (LOQ:0.0005)	0.001Max	No relaxation	APHA 24th Ed. 2023, 3112-B
31.	Selenium (as Se)	mg/L	BQL (LOQ:0.01)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. # Acceptable Limit as per IS 10500:2012
4. $ Permissible Limit in the Absence of Alternate Source as per IS 10500:2012
5. The result listed refers only to the tested sample(s) and applicable parameter(s).
6. This report is not to be reproduced except in full, without the written approval of the laboratory.
7. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-2044260325

Report No.:	ME-2044260325	Date: 02.04.2026
ULR No.:	TC748726000006692F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ground water	Sampling Done by	Laboratory
Sampling Location	Village Talkhanda	Sample Quantity / Packing	3L X 1 No. PVC Can 500 mL X 1 No. PVC Can 1 L X 1 No. Glass Bottle
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	IS: 17614; APHA 24th Ed. 2023, 1060-B		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	02.04.2026

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Water (Ground Water)					
1.	Colour	Hazen	BQL (LOQ:1)	5 Max.	15 Max.	APHA 24th Ed. 2023, 2120-B
2.	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 05):2018
3.	Turbidity	NTU	0.3	1 Max.	5 Max.	APHA 24th Ed. 2023, 2130-B
4.	pH (at 25°C)	-	7.5	6.5 to 8.5	No relaxation	APHA 24th Ed. 2023, 4500-H+-B
5.	Free Chlorine (Residual)	mg/L	BQL (LOQ:0.05)	0.2 Min.	1.0 Min.	APHA 24th Ed. 2023, 4500-Cl G
6.	Total Dissolved Solids (at 180°C)	mg/L	661	500 Max.	2000 Max.	IS 3025 (Part 16):2023
7.	Total Suspended Solids (at 105°C)	mg/L	BQL (LOQ:5)	-	-	APHA 24th Ed. 2023, 2540-D
8.	Alkalinity Total (as $CaCO_3$)	mg/L	276	200 Max.	600 Max.	APHA 24th Ed. 2023, 2320-B
9.	Total Hardness (as $CaCO_3$)	mg/L	508	200 Max.	600 Max.	APHA 24th Ed. 2023, 2340-C
10.	Chloride (as Cl)	mg/L	52.0	250 Max.	1000 Max.	APHA 24th Ed. 2023, 4500-Cl-B
11.	Sulphate (as SO_4)	mg/L	153	200 Max.	400 Max.	APHA 24th Ed. 2023, 4500-SO_4-E
12.	Nitrate (as NO_3)	mg/L	34.3	45 Max.	No relaxation	APHA 24th Ed. 2023,4500-NO_3, B
13.	Calcium (as Ca)	mg/L	109	75 Max.	200 Max.	APHA 24th Ed. 2023, 3500-Ca-B

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-2044260325

Report No.:	ME-2044260325	Date: 02.04.2026
ULR No.:	TC748726000006692F	

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
14.	Magnesium (as Mg)	mg/L	57.3	30 Max.	100 Max.	APHA 24th Ed. 2023, 3500-Mg-B
15.	Fluoride (as F)	mg/L	0.61	1 Max.	1.5 Max.	APHA 24th Ed. 2023, 4500-F, D
16.	Dissolved Oxygen	mg/L	6.4	-	-	APHA 24th Ed. 2023, 4500-O, B & C
17.	Oil and Grease	mg/L	BQL (LOQ:1)	-	-	IS 3025 (Part 39): 2021
18.	Cyanide (as CN)	mg/L	BQL (LOQ:0.001)	0.05 Max.	No relaxation	APHA 24th Ed. 2023, 4500-CN, C & E
19.	Phenolic Compounds (as C_6H_5OH)	mg/L	BQL (LOQ:0.001)	0.001 Max.	0.002 Max.	APHA 24th Ed. 2023, 5530- B & C
	Product Group: Residues in water					
20.	Boron (as B)	mg/L	BQL (LOQ:0.02)	0.5 Max.	2.4 Max.	IS 3025 (Part 2) 2019
21.	Iron (as Fe)	mg/L	0.246	1.0 Max.	No relaxation	IS 3025 (Part 2) 2019
22.	Manganese (as Mn)	mg/L	BQL (LOQ:0.01)	0.1 Max.	0.3 Max.	IS 3025 (Part 2) 2019
23.	Aluminium (as Al)	mg/L	BQL (LOQ:0.025)	0.03 Max.	0.2 Max.	APHA 24th Ed. 2023, 3500-Al-B
24.	Cadmium (as Cd)	mg/L	BQL (LOQ:0.0027)	0.003Max	No relaxation	IS 3025 (Part 2) 2019
25.	Chromium Total (as Cr)	mg/L	BQL (LOQ:0.01)	0.05 Max.	No relaxation	IS 3025 (Part 2) 2019
26.	Copper (as Cu)	mg/L	BQL (LOQ:0.01)	0.05 Max.	1.5 Max.	IS 3025 (Part 2) 2019
27.	Lead (as Pb)	mg/L	BQL (LOQ:0.008)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
28.	Zinc (as Zn)	mg/L	0.022	5 Max.	15 Max.	IS 3025 (Part 2) 2019
29.	Arsenic (as As)	mg/L	BQL (LOQ:0.007)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
30.	Mercury (as Hg)	mg/L	BQL (LOQ:0.0005)	0.001Max	No relaxation	APHA 24th Ed. 2023, 3112-B
31.	Selenium (as Se)	mg/L	BQL (LOQ:0.01)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. # Acceptable Limit as per IS 10500:2012
4. $ Permissible Limit in the Absence of Alternate Source as per IS 10500:2012
5. The result listed refers only to the tested sample(s) and applicable parameter(s).
6. This report is not to be reproduced except in full, without the written approval of the laboratory.
7. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-2045260325

Report No.:	ME-2045260325	Date: 02.04.2026
ULR No.:	TC748726000006693F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ground water	Sampling Done by	Laboratory
Sampling Location	Village Digargaon	Sample Quantity / Packing	3L X 1 No. PVC Can 500 mL X 1 No. PVC Can 1 L X 1 No. Glass Bottle
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	IS: 17614; APHA 24th Ed. 2023, 1060-B		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	02.04.2026

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Water (Ground Water)					
1.	Colour	Hazen	BQL (LOQ:1)	5 Max.	15 Max.	APHA 24th Ed. 2023, 2120-B
2.	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 05):2018
3.	Turbidity	NTU	0.2	1 Max.	5 Max.	APHA 24th Ed. 2023, 2130-B
4.	pH (at 25°C)	-	7.6	6.5 to 8.5	No relaxation	APHA 24th Ed. 2023, 4500-H+-B
5.	Free Chlorine (Residual)	mg/L	BQL (LOQ:0.05)	0.2 Min.	1.0 Min.	APHA 24th Ed. 2023, 4500-Cl G
6.	Total Dissolved Solids (at 180°C)	mg/L	791	500 Max.	2000 Max.	IS 3025 (Part 16):2023
7.	Total Suspended Solids (at 105°C)	mg/L	BQL (LOQ:5)	-	-	APHA 24th Ed. 2023, 2540-D
8.	Alkalinity Total (as $CaCO_3$)	mg/L	196	200 Max.	600 Max.	APHA 24th Ed. 2023, 2320-B
9.	Total Hardness (as $CaCO_3$)	mg/L	672	200 Max.	600 Max.	APHA 24th Ed. 2023, 2340-C
10.	Chloride (as Cl)	mg/L	92.0	250 Max.	1000 Max.	APHA 24th Ed. 2023, 4500-Cl-B
11.	Sulphate (as SO_4)	mg/L	316	200 Max.	400 Max.	APHA 24th Ed. 2023, 4500-SO_4-E
12.	Nitrate (as NO_3)	mg/L	23.0	45 Max.	No relaxation	APHA 24th Ed. 2023,4500-NO_3, B
13.	Calcium (as Ca)	mg/L	136	75 Max.	200 Max.	APHA 24th Ed. 2023, 3500-Ca-B

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-2045260325

Report No.:	ME-2045260325	Date: 02.04.2026
ULR No.:	TC748726000006693F	

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
14.	Magnesium (as Mg)	mg/L	80.1	30 Max.	100 Max.	APHA 24th Ed. 2023, 3500-Mg-B
15.	Fluoride (as F)	mg/L	0.52	1 Max.	1.5 Max.	APHA 24th Ed. 2023, 4500-F, D
16.	Dissolved Oxygen	mg/L	6.4	-	-	APHA 24th Ed. 2023, 4500-O, B & C
17.	Oil and Grease	mg/L	BQL (LOQ:1)	-	-	IS 3025 (Part 39): 2021
18.	Cyanide (as CN)	mg/L	BQL (LOQ:0.001)	0.05 Max.	No relaxation	APHA 24th Ed. 2023, 4500-CN, C & E
19.	Phenolic Compounds (as C_6H_5OH)	mg/L	BQL (LOQ:0.001)	0.001 Max.	0.002 Max.	APHA 24th Ed. 2023, 5530- B & C
	Product Group: Residues in water					
20.	Boron (as B)	mg/L	BQL (LOQ:0.02)	0.5 Max.	2.4 Max.	IS 3025 (Part 2) 2019
21.	Iron (as Fe)	mg/L	0.603	1.0 Max.	No relaxation	IS 3025 (Part 2) 2019
22.	Manganese (as Mn)	mg/L	0.028	0.1 Max.	0.3 Max.	IS 3025 (Part 2) 2019
23.	Aluminium (as Al)	mg/L	BQL (LOQ:0.025)	0.03 Max.	0.2 Max.	APHA 24th Ed. 2023, 3500-Al-B
24.	Cadmium (as Cd)	mg/L	BQL (LOQ:0.0027)	0.003Max	No relaxation	IS 3025 (Part 2) 2019
25.	Chromium Total (as Cr)	mg/L	BQL (LOQ:0.01)	0.05 Max.	No relaxation	IS 3025 (Part 2) 2019
26.	Copper (as Cu)	mg/L	BQL (LOQ:0.01)	0.05 Max.	1.5 Max.	IS 3025 (Part 2) 2019
27.	Lead (as Pb)	mg/L	BQL (LOQ:0.008)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
28.	Zinc (as Zn)	mg/L	BQL (LOQ:0.02)	5 Max.	15 Max.	IS 3025 (Part 2) 2019
29.	Arsenic (as As)	mg/L	BQL (LOQ:0.007)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
30.	Mercury (as Hg)	mg/L	BQL (LOQ:0.0005)	0.001Max	No relaxation	APHA 24th Ed. 2023, 3112-B
31.	Selenium (as Se)	mg/L	BQL (LOQ:0.01)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. # Acceptable Limit as per IS 10500:2012
4. $ Permissible Limit in the Absence of Alternate Source as per IS 10500:2012
5. The result listed refers only to the tested sample(s) and applicable parameter(s).
6. This report is not to be reproduced except in full, without the written approval of the laboratory.
7. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-2046260325

Report No.:	ME-2046260325	Date: 02.04.2026
ULR No.:	TC748726000006694F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Ground water	Sampling Done by	Laboratory
Sampling Location	Well Water Backside of Ash Dyke area Mr. N. Lomte Farm	Sample Quantity / Packing	3L X 1 No. PVC Can 500 mL X 1 No. PVC Can 1 L X 1 No. Glass Bottle
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	IS: 17614; APHA 24th Ed. 2023, 1060-B		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	02.04.2026

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Water (Ground Water)					
1.	Colour	Hazen	BQL (LOQ:1)	5 Max.	15 Max.	APHA 24th Ed. 2023, 2120-B
2.	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 05):2018
3.	Turbidity	NTU	0.2	1 Max.	5 Max.	APHA 24th Ed. 2023, 2130-B
4.	pH (at 25°C)	-	7.7	6.5 to 8.5	No relaxation	APHA 24th Ed. 2023, 4500-H+-B
5.	Free Chlorine (Residual)	mg/L	BQL (LOQ:0.05)	0.2 Min.	1.0 Min.	APHA 24th Ed. 2023, 4500-Cl G
6.	Total Dissolved Solids (at 180°C)	mg/L	512	500 Max.	2000 Max.	IS 3025 (Part 16):2023
7.	Total Suspended Solids (at 105°C)	mg/L	BQL (LOQ:5)	-	-	APHA 24th Ed. 2023, 2540-D
8.	Alkalinity Total (as $CaCO_3$)	mg/L	240	200 Max.	600 Max.	APHA 24th Ed. 2023, 2320-B
9.	Total Hardness (as $CaCO_3$)	mg/L	396	200 Max.	600 Max.	APHA 24th Ed. 2023, 2340-C
10.	Chloride (as Cl)	mg/L	74.0	250 Max.	1000 Max.	APHA 24th Ed. 2023, 4500-Cl-B
11.	Sulphate (as SO_4)	mg/L	60.6	200 Max.	400 Max.	APHA 24th Ed. 2023, 4500-SO_4-E
12.	Nitrate (as NO_3)	mg/L	44.9	45 Max.	No relaxation	APHA 24th Ed. 2023,4500-NO_3, B
13.	Calcium (as Ca)	mg/L	78.6	75 Max.	200 Max.	APHA 24th Ed. 2023, 3500-Ca-B

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-2046260325

Report No.:	ME-2046260325	Date: 02.04.2026
ULR No.:	TC748726000006694F	

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
14.	Magnesium (as Mg)	mg/L	48.6	30 Max.	100 Max.	APHA 24th Ed. 2023, 3500-Mg-B
15.	Fluoride (as F)	mg/L	0.62	1 Max.	1.5 Max.	APHA 24th Ed. 2023, 4500-F, D
16.	Dissolved Oxygen	mg/L	6.3	-	-	APHA 24th Ed. 2023, 4500-O, B & C
17.	Oil and Grease	mg/L	BQL (LOQ:1)	-	-	IS 3025 (Part 39): 2021
18.	Cyanide (as CN)	mg/L	BQL (LOQ:0.001)	0.05 Max.	No relaxation	APHA 24th Ed. 2023, 4500-CN, C & E
19.	Phenolic Compounds (as C_6H_5OH)	mg/L	BQL (LOQ:0.001)	0.001 Max.	0.002 Max.	APHA 24th Ed. 2023, 5530- B & C
	Product Group: Residues in water					
20.	Boron (as B)	mg/L	BQL (LOQ:0.02)	0.5 Max.	2.4 Max.	IS 3025 (Part 2) 2019
21.	Iron (as Fe)	mg/L	0.243	1.0 Max.	No relaxation	IS 3025 (Part 2) 2019
22.	Manganese (as Mn)	mg/L	BQL (LOQ:0.01)	0.1 Max.	0.3 Max.	IS 3025 (Part 2) 2019
23.	Aluminium (as Al)	mg/L	BQL (LOQ:0.025)	0.03 Max.	0.2 Max.	APHA 24th Ed. 2023, 3500-Al-B
24.	Cadmium (as Cd)	mg/L	BQL (LOQ:0.0027)	0.003Max	No relaxation	IS 3025 (Part 2) 2019
25.	Chromium Total (as Cr)	mg/L	BQL (LOQ:0.01)	0.05 Max.	No relaxation	IS 3025 (Part 2) 2019
26.	Copper (as Cu)	mg/L	0.016	0.05 Max.	1.5 Max.	IS 3025 (Part 2) 2019
27.	Lead (as Pb)	mg/L	BQL (LOQ:0.008)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
28.	Zinc (as Zn)	mg/L	0.033	5 Max.	15 Max.	IS 3025 (Part 2) 2019
29.	Arsenic (as As)	mg/L	BQL (LOQ:0.007)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
30.	Mercury (as Hg)	mg/L	BQL (LOQ:0.0005)	0.001Max	No relaxation	APHA 24th Ed. 2023, 3112-B
31.	Selenium (as Se)	mg/L	BQL (LOQ:0.01)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. # Acceptable Limit as per IS 10500:2012
4. $ Permissible Limit in the Absence of Alternate Source as per IS 10500:2012
5. The result listed refers only to the tested sample(s) and applicable parameter(s).
6. This report is not to be reproduced except in full, without the written approval of the laboratory.
7. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-2047260325

Report No.:	ME-2047260325	Date: 02.04.2026
ULR No.:	TC748726000006695F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date. 25.03.2025
Sample Description / Type	Ground water	Sampling Done by	Laboratory
Sampling Location	Well Water Village Wagholi	Sample Quantity / Packing	3L X 1 No. PVC Can 500 mL X 1 No. PVC Can 1 L X 1 No. Glass Bottle
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	IS: 17614; APHA 24th Ed. 2023, 1060-B		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	02.04.2026

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Water (Ground Water)					
1.	Colour	Hazen	BQL (LOQ:1)	5 Max.	15 Max.	APHA 24th Ed. 2023, 2120-B
2.	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Part 05):2018
3.	Turbidity	NTU	0.3	1 Max.	5 Max.	APHA 24th Ed. 2023, 2130-B
4.	pH (at 25°C)	-	7.4	6.5 to 8.5	No relaxation	APHA 24th Ed. 2023, 4500-H+-B
5.	Free Chlorine (Residual)	mg/L	BQL (LOQ:0.05)	0.2 Min.	1.0 Min.	APHA 24th Ed. 2023, 4500-Cl G
6.	Total Dissolved Solids (at 180°C)	mg/L	906	500 Max.	2000 Max.	IS 3025 (Part 16):2023
7.	Total Suspended Solids (at 105°C)	mg/L	BQL (LOQ:5)	-	-	APHA 24th Ed. 2023, 2540-D
8.	Alkalinity Total (as $CaCO_3$)	mg/L	470	200 Max.	600 Max.	APHA 24th Ed. 2023, 2320-B
9.	Total Hardness (as $CaCO_3$)	mg/L	724	200 Max.	600 Max.	APHA 24th Ed. 2023, 2340-C
10.	Chloride (as Cl)	mg/L	122	250 Max.	1000 Max.	APHA 24th Ed. 2023, 4500-Cl-B
11.	Sulphate (as SO_4)	mg/L	81.2	200 Max.	400 Max.	APHA 24th Ed. 2023, 4500-SO_4-E
12.	Nitrate (as NO_3)	mg/L	53.6	45 Max.	No relaxation	APHA 24th Ed. 2023,4500-NO_3, B
13.	Calcium (as Ca)	mg/L	148	75 Max.	200 Max.	APHA 24th Ed. 2023, 3500-Ca-B

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

GW-2047260325

Report No.:	ME-2047260325	Date: 02.04.2026
ULR No.:	TC748726000006695F	

Sr. No.	Parameter	Unit	Result	#Limit	$Limit	Method Reference
14.	Magnesium (as Mg)	mg/L	86.5	30 Max.	100 Max.	APHA 24th Ed. 2023, 3500-Mg-B
15.	Fluoride (as F)	mg/L	0.53	1 Max.	1.5 Max.	APHA 24th Ed. 2023, 4500-F, D
16.	Dissolved Oxygen	mg/L	6.2	-	-	APHA 24th Ed. 2023, 4500-O, B & C
17.	Oil and Grease	mg/L	BQL (LOQ:1)	-	-	IS 3025 (Part 39): 2021
18.	Cyanide (as CN)	mg/L	BQL (LOQ:0.001)	0.05 Max.	No relaxation	APHA 24th Ed. 2023, 4500-CN, C & E
19.	Phenolic Compounds (as C_6H_5OH)	mg/L	BQL (LOQ:0.001)	0.001 Max.	0.002 Max.	APHA 24th Ed. 2023, 5530- B & C
	Product Group: Residues in water					
20.	Boron (as B)	mg/L	BQL (LOQ:0.02)	0.5 Max.	2.4 Max.	IS 3025 (Part 2) 2019
21.	Iron (as Fe)	mg/L	0.224	1.0 Max.	No relaxation	IS 3025 (Part 2) 2019
22.	Manganese (as Mn)	mg/L	BQL (LOQ:0.01)	0.1 Max.	0.3 Max.	IS 3025 (Part 2) 2019
23.	Aluminium (as Al)	mg/L	BQL (LOQ:0.025)	0.03 Max.	0.2 Max.	APHA 24th Ed. 2023, 3500-Al-B
24.	Cadmium (as Cd)	mg/L	BQL (LOQ:0.0027)	0.003Max	No relaxation	IS 3025 (Part 2) 2019
25.	Chromium Total (as Cr)	mg/L	BQL (LOQ:0.01)	0.05 Max.	No relaxation	IS 3025 (Part 2) 2019
26.	Copper (as Cu)	mg/L	0.024	0.05 Max.	1.5 Max.	IS 3025 (Part 2) 2019
27.	Lead (as Pb)	mg/L	BQL (LOQ:0.008)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
28.	Zinc (as Zn)	mg/L	BQL (LOQ:0.02)	5 Max.	15 Max.	IS 3025 (Part 2) 2019
29.	Arsenic (as As)	mg/L	BQL (LOQ:0.007)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019
30.	Mercury (as Hg)	mg/L	BQL (LOQ:0.0005)	0.001Max	No relaxation	APHA 24th Ed. 2023, 3112-B
31.	Selenium (as Se)	mg/L	BQL (LOQ:0.01)	0.01 Max.	No relaxation	IS 3025 (Part 2) 2019

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. # Acceptable Limit as per IS 10500:2012.
4. $ Permissible Limit in the Absence of Alternate Source as per IS 10500:2012
5. The result listed refers only to the tested sample(s) and applicable parameter(s).
6. This report is not to be reproduced except in full, without the written approval of the laboratory.
7. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SW-2040260325

Report No.:	ME-2040260325	Date: 02.04.2026
ULR No.:	TC748726000006688F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Surface water	Sampling Done by	Laboratory
Sampling Location	Wagholi Pond	Sample Quantity / Packing	2L X 1 No. PVC Can 500 mL X 1 No. PVC Can 1 L X 1 No. Glass Bottle
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	IS: 17614; APHA 24th Ed. 2023, 1060-B		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	02.04.2026

Sr. No.	Parameter	Unit	Result	Method Reference
	Discipline: Chemical Testing; Product Group: Water (Surface Water)			
1.	Colour	Hazen	BQL (LOQ:1)	APHA 24th Ed. 2023, 2120-B
2.	Odour	-	Agreeable	IS 3025 (Part 05):2018
3.	Turbidity	NTU	0.4	APHA 24th Ed. 2023, 2130-B
4.	pH (at 25°C)	-	7.6	APHA 24th Ed. 2023, 4500-H+-B
5.	Free Chlorine (Residual)	mg/L	BQL (LOQ:0.05)	APHA 24th Ed. 2023, 4500-Cl G
6.	Total Dissolved Solids (at 180°C)	mg/L	343	IS 3025 (Part 16):2023
7.	Total Suspended Solids (at 105°C)	mg/L	BQL (LOQ:5)	APHA 24th Ed. 2023, 2540-D
8.	Alkalinity Total (as $CaCO_3$)	mg/L	202	APHA 24th Ed. 2023, 2320-B
9.	Total Hardness (as $CaCO_3$)	mg/L	248	APHA 24th Ed. 2023, 2340-C
10.	Chloride (as Cl)	mg/L	29.0	APHA 24th Ed. 2023, 4500-Cl-B
11.	Sulphate (as SO_4)	mg/L	41.6	APHA 24th Ed. 2023, 4500-SO_4-E
12.	Nitrate (as NO_3)	mg/L	4.56	APHA 24th Ed. 2023,4500-NO_3, E
13.	Calcium (as Ca)	mg/L	50.5	APHA 24th Ed. 2023, 3500-Ca-B
14.	Magnesium (as Mg)	mg/L	29.6	APHA 24th Ed. 2023, 3500-Mg-B
15.	Fluoride (as F)	mg/L	0.69	APHA 24th Ed. 2023, 4500-F, D
16.	Dissolved Oxygen	mg/L	6.3	APHA 24th Ed. 2023, 4500-O, B & C

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SW-2040260325

Report No.:	ME-2040260325	Date: 02.04.2026
ULR No.:	TC748726000006688F	

Sr. No.	Parameter	Unit	Result	Method Reference
17.	Oil and Grease	mg/L	BQL (LOQ:1)	IS 3025 (Part 39): 2021
18.	Cyanide (as CN)	mg/L	BQL (LOQ:0.001)	APHA 24th Ed. 2023, 4500-CN, C & E
19.	Phenolic Compounds (as C_6H_5OH)	mg/L	BQL (LOQ:0.001)	APHA 24th Ed. 2023, 5530- B & C
	Product Group: Residues in water			
20.	Boron (as B)	mg/L	BQL (LOQ:0.02)	IS 3025 (Part 2) 2019
21.	Iron (as Fe)	mg/L	0.616	IS 3025 (Part 2) 2019
22.	Manganese (as Mn)	mg/L	0.015	IS 3025 (Part 2) 2019
23.	Aluminium (as Al)	mg/L	BQL (LOQ:0.025)	APHA 24th Ed. 2023, 3500-Al-B
24.	Cadmium (as Cd)	mg/L	BQL (LOQ:0.0027)	IS 3025 (Part 2) 2019
25.	Chromium Total (as Cr)	mg/L	BQL (LOQ:0.01)	IS 3025 (Part 2) 2019
26.	Copper (as Cu)	mg/L	BQL (LOQ:0.01)	IS 3025 (Part 2) 2019
27.	Lead (as Pb)	mg/L	BQL (LOQ:0.008)	IS 3025 (Part 2) 2019
28.	Zinc (as Zn)	mg/L	0.066	IS 3025 (Part 2) 2019
29.	Arsenic (as As)	mg/L	BQL (LOQ:0.007)	IS 3025 (Part 2) 2019
30.	Mercury (as Hg)	mg/L	BQL (LOQ:0.0005)	APHA 24th Ed. 2023, 3112-B
31.	Selenium (as Se)	mg/L	BQL (LOQ:0.01)	IS 3025 (Part 2) 2019

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. The result listed refers only to the tested sample(s) and applicable parameter(s).
4. This report is not to be reproduced except in full, without the written approval of the laboratory.
5. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

SW-2041260325

TEST REPORT

Report No.:	ME-2041260325	Date: 02.04.2026
ULR No.:	TC748726000006689F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Surface water	Sampling Done by	Laboratory
Sampling Location	Malegaon Pond	Sample Quantity / Packing	2L X 1 No. PVC Can 500 mL X 1 No. PVC Can 1 L X 1 No. Glass Bottle
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	IS: 17614; APHA 24th Ed. 2023, 1060-B		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	02.04.2026

Sr. No.	Parameter	Unit	Result	Method Reference
	Discipline: Chemical Testing; Product Group: Water (Surface Water)			
1.	Colour	Hazen	BQL (LOQ:1)	APHA 24th Ed. 2023, 2120-B
2.	Odour	-	Agreeable	IS 3025 (Part 05):2018
3.	Turbidity	NTU	0.3	APHA 24th Ed. 2023, 2130-B
4.	pH (at 25°C)	-	8.0	APHA 24th Ed. 2023, 4500-H+-B
5.	Free Chlorine (Residual)	mg/L	BQL (LOQ:0.05)	APHA 24th Ed. 2023, 4500-Cl G
6.	Total Dissolved Solids (at 180°C)	mg/L	320	IS 3025 (Part 16):2023
7.	Total Suspended Solids (at 105°C)	mg/L	BQL (LOQ:5)	APHA 24th Ed. 2023, 2540-D
8.	Alkalinity Total (as $CaCO_3$)	mg/L	194	APHA 24th Ed. 2023, 2320-B
9.	Total Hardness (as $CaCO_3$)	mg/L	238	APHA 24th Ed. 2023, 2340-C
10.	Chloride (as Cl)	mg/L	30.0	APHA 24th Ed. 2023, 4500-Cl-B
11.	Sulphate (as SO_4)	mg/L	41.0	APHA 24th Ed. 2023, 4500-SO_4-E
12.	Nitrate (as NO_3)	mg/L	4.74	APHA 24th Ed. 2023,4500-NO_3, E
13.	Calcium (as Ca)	mg/L	48.9	APHA 24th Ed. 2023, 3500-Ca-B
14.	Magnesium (as Mg)	mg/L	28.2	APHA 24th Ed. 2023, 3500-Mg-B
15.	Fluoride (as F)	mg/L	0.83	APHA 24th Ed. 2023, 4500-F, D
16.	Dissolved Oxygen	mg/L	6.3	APHA 24th Ed. 2023, 4500-O, B & C

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

SW-2041260325

Report No.:	ME-2041260325	Date: 02.04.2026
ULR No.:	TC748726000006689F	

Sr. No.	Parameter	Unit	Result	Method Reference
17.	Oil and Grease	mg/L	BQL (LOQ:1)	IS 3025 (Part 39): 2021
18.	Cyanide (as CN)	mg/L	BQL (LOQ:0.001)	APHA 24th Ed. 2023, 4500-CN, C & E
19.	Phenolic Compounds (as C_6H_5OH)	mg/L	BQL (LOQ:0.001)	APHA 24th Ed. 2023, 5530- B & C
	Product Group: Residues in water			
20.	Boron (as B)	mg/L	0.020	IS 3025 (Part 2) 2019
21.	Iron (as Fe)	mg/L	0.385	IS 3025 (Part 2) 2019
22.	Manganese (as Mn)	mg/L	0.026	IS 3025 (Part 2) 2019
23.	Aluminium (as Al)	mg/L	BQL (LOQ:0.025)	APHA 24th Ed. 2023, 3500-Al-B
24.	Cadmium (as Cd)	mg/L	BQL (LOQ:0.0027)	IS 3025 (Part 2) 2019
25.	Chromium Total (as Cr)	mg/L	BQL (LOQ:0.01)	IS 3025 (Part 2) 2019
26.	Copper (as Cu)	mg/L	0.010	IS 3025 (Part 2) 2019
27.	Lead (as Pb)	mg/L	BQL (LOQ:0.008)	IS 3025 (Part 2) 2019
28.	Zinc (as Zn)	mg/L	0.044	IS 3025 (Part 2) 2019
29.	Arsenic (as As)	mg/L	BQL (LOQ:0.007)	IS 3025 (Part 2) 2019
30.	Mercury (as Hg)	mg/L	BQL (LOQ:0.0005)	APHA 24th Ed. 2023, 3112-B
31.	Selenium (as Se)	mg/L	BQL (LOQ:0.01)	IS 3025 (Part 2) 2019

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. The result listed refers only to the tested sample(s) and applicable parameter(s).
4. This report is not to be reproduced except in full, without the written approval of the laboratory.
5. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS P. LTD. Laboratory Division

TC-7487

Mahabal Enviro Engineers Pvt. Ltd.

PLOT NOS. 13,14,17,18, GRAMPANCHAYAT BOKHARA, CHHINDWARA ROAD, KORADI, NAGPUR, MAHARASHTRA, INDIA
Phone: **0712-2612162/2612212** email: **nagpur@mahabal.com**

TEST REPORT

DE-2051260325

Report No.:	ME-2051260325	Date: 02.04.2026
ULR No.:	TC748726000006699F	

Name and Address of Customer	**RATTANINDIA POWER LIMITED Plot No. D-2 & D-2 (PART) at Additional MIDC, Village-Nandgaonpeth, Tal & Dist: Amravati 444 901**		SO No.: 3382026036 SO Date: 25.03.2025
Sample Description / Type	Domestic Effluent	Sampling Done by	Laboratory
Sampling Location	Colony STP Outlet	Sample Quantity / Packing	2 L X 1 No. PVC Can 250mL X 1 No. PVC Can
Date of Sampling	24.03.2026	Date of Receipt of Sample	25.03.2026
Sampling Procedure	IS: 17614; APHA 24th Ed. 2023, 1060-B		
Date of Start of Analysis	25.03.2026	Date of Completion of Analysis	02.04.2026

Sr. No.	Parameter	Unit	Result	# Limit	Method Reference
	Discipline: Chemical Testing; Product Group: Pollution & Environment (Waste Water)				
1.	pH (at 25°C)	-	8.2	6.5 to 8.5	APHA 24th Ed. 2023, 4500-H+-B
2.	Biochemical Oxygen Demand (3 days 27°C)	mg/L	8.6	30 Max.	IS 3025 (Part 44):2023
3.	Chemical Oxygen Demand	mg/L	30	250 Max.	APHA 24th Ed. 2023, 5220-B

END OF REPORT

Note:
1. BQL: Below Quantification Limit.
2. LOQ: Limit of Quantification.
3. #: Limit as per MPCB Consent.
4. The result listed refers only to the tested sample(s) and applicable parameter(s).
5. This report is not to be reproduced except in full, without the written approval of the laboratory.
6. Any complaint pertaining to the report can be addressed to mahabalreports@gmail.com

Reviewed and authorised by

Sagar Yeul
Dy.Technical Manager
Chemical Testing

MAHABAL ENVIRO ENGINEERS PVT. LTD. Laboratory Division

TC-7487